ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 10| Issue: 11| November 2024|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2024: 8.402|| ISI Value

PROFILE OF ANTIBIOTICS USED AS A HEALTH CENTER

Mr. Nakul Bhausaheb Godse,[1*] Mr. Saurabh V. Mundada [2], Mr. Aniket Vasant Ingle [3]
[1]Student of Bachelor of Pharmacy, Raosaheb Patil Danve College of Pharmacy Badnapur Jalna
[2]Asst. Prof. (M. Pharma Quality Assurance) Raosaheb Patil Danve College of Pharmacy Badnapur Jalna
[3]Student of Bachelor of Pharmacy, Raosaheb Patil Danve College of Pharmacy Badnapur Jalna
Raosaheb Patil Danve College of Pharmacy Badnapur Jalna 431202

ABSTRACT

The study of antibiotic usage profiles in health centers is critical for understanding prescribing patterns, evaluating antimicrobial stewardship, and managing antibiotic resistance. This review synthesizes findings from various studies on the types, dosages, and frequency of antibiotics administered in primary healthcare settings. Key antibiotics commonly prescribed include broad-spectrum agents such as penicillins, cephalosporins, and fluoroquinolones, often used for respiratory, urinary, and gastrointestinal infections. The review highlights both appropriate uses and frequent issues, such as overprescription, misuse, and lack of adherence to guidelines, which can accelerate antimicrobial resistance. Additionally, it discusses the role of healthcare providers' training, patient demand, and institutional guidelines in influencing prescription practices. Recommendations for optimizing antibiotic use include implementing strict guidelines, increasing awareness about antimicrobial resistance, and enhancing diagnostic capabilities in health centers. This review underscores the importance of careful antibiotic monitoring in primary care to ensure effective treatments while mitigating the risks associated with resistance development

KEYWORDS;*Antibiotics usage; Antibiotic resistance; Antibiotic stewardship; Antibiotic classes; Antimicrobial agents; Health center prescription patterns*

INTRODUCTION

Early Discoveries and Pre-antibiotic Era

Ancient Use of Antimicrobials:

- Before the formal discovery of antibiotics, ancient civilizations used natural substances to treat infections. For example, ancient Egyptians applied moldy bread to infected wounds, possibly utilizing naturally occurring Penicillium fungi.
- Chinese medicine and other cultures employed herbal remedies with antimicrobial properties, like extracts from plants and fungi
- Discovery of Penicillin (1928)

Alexander Fleming's Breakthrough:

- The modern era of antibiotics began in 1928 when Scottish bacteriologist Alexander Fleming accidentally discovered penicillin, the first true antibiotic. Fleming noticed that a mold (Penicillium notatum) growing in a petri dish inhibited the growth of Staphylococcus bacteria.
- Fleming's discovery remained largely unexplored for a decade because he couldn't purify penicillin effectively.

Development of Penicillin for Use:

- In the late 1930s and early 1940s, a team of scientists including Howard Florey and Ernst Boris Chain purified and mass-produced penicillin. This achievement was particularly significant during World War II, where penicillin was used extensively to treat infections in wounded soldiers.
- Penicillin became the first widely used antibiotic and is often credited with revolutionizing medicine.

The Golden Age of Antibiotics (1940s-1960s)

- 1940s: Sulfonamides and Streptomycin:
- Sulfonamides (sulfa drugs), discovered in the 1930s by Gerhard Domagk, were the first class of synthetic antibiotics. These drugs were effective against bacterial infections such as streptococcal infections.
- In 1943, Selman Waksman and his team discovered streptomycin, the first antibiotic effective against tuberculosis and other Gram-negative bacteria.

1950s-1960s: Discovery of New Classes:

This period saw the discovery of many new antibiotics:
Tetracyclines (1948)
Chloramphenicol (1949)
Erythromycin (1952)
Vancomycin (1953) Cephalosporins (1950s)

OBJECTIVES

- To Identify Commonly Prescribed Antibiotics in Health CentresTo determine the most frequently prescribed antibiotics across different therapeutic classes in health centers.
- To Analyze the Spectrum of Activity of Prescribed Antibiotics.To classify antibiotics based on their broad-spectrum or narrow-spectrum activity and the infections they are used to treat.
- To Assess the Rationality and Appropriateness of Antibiotic Use.To evaluate whether antibiotics are being prescribed in accordance with clinical guidelines, focusing on appropriate dosing, duration, and selection based on the infection type.

ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 10| Issue: 11| November 2024|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2024: 8.402|| ISI Value

- To Evaluate Patterns and Trends in Antibiotic Resistance To investigate the prevalence of antibiotic- resistant pathogens in health centers and the impact this has on prescribing patterns.
- Examine the Public Health Impact of Antibiotic Use in Health Centres.To explore the implications of antibiotic prescribing on community health, particularly in relation to antibiotic resistance and infection control.
- To Provide Recommendations for Optimizing Antibiotic Stewardship in Health Centres.To suggest evidence-based strategies for improving the use of antibiotics, including implementing stewardship programs, educating healthcare providers, and raising public awareness.



DEFINITION AND CLASSIFICATION

Definition of Antibiotics

Antibiotics are a class of antimicrobial substances that inhibit the growth of or destroy bacteria. They are used to treat infections caused by bacteria, either by killing the bacteria (bactericidal) or inhibiting their growth (bacteriostatic). Antibiotics are one of the most critical tools in modern medicine, especially in primary care settings such as health centers, where they are used to manage a variety of bacterial infections.In the context of health centers, antibiotics play a crucial role in treating common infections such as respiratory infections, urinary tract infections (UTIs), skin and soft tissue infections, and gastrointestinal infections,

Classification of Antibiotics

Antibiotics can be classified based on various criteria, such as their mechanism of action, spectrum of activity, or chemical structure. The following outlines the primary classification systems relevant to health center use:

1) Based on Mechanism of Action

- Cell Wall Synthesis Inhibitors: These antibiotics interfere with bacterial cell wall formation, leading to cell lysis and death. Examples include:
  Penicillins (e.g., amoxicillin, penicillin G) Cephalosporins (e.g., ceftriaxone, cefuroxime) Carbapenems (e.g., meropenem) Glycopeptides (e.g., vancomycin)
- Protein Synthesis Inhibitors: These antibiotics target bacterial ribosomes, inhibiting protein production, which is essential for bacterial growth.
  Macrolides (e.g., azithromycin, clarithromycin) Aminoglycosides (e.g., gentamicin, streptomycin Tetracyclines (e.g., doxycycline)
  Lincosamides (e.g., clindamycin)
- DNA/RNA Synthesis Inhibitors: These antibiotics disrupt bacterial DNA or RNA synthesis, preventing replication.
  Fluoroquinolones (e.g., ciprofloxacin, levofloxacin) Rifamycins (e.g., rifampin)
- Folate Synthesis Inhibitors: These inhibit bacterial folic acid metabolism, which is essential for DNA synthesisSulfonamides (e.g., sulfamethoxazole) often combined with trimethoprim (as in co-trimoxazole)

2) **Based on Spectrum of ActivityNarrow-**
Spectrum Antibiotics: These antibiotics are effective against a limit arange of bacteria, typically targeting either Gram-positive or Gram-negative organisms.
Examples: Penicillin G (effective against Gram-positive bacteria), vancomycin (used for resistant Gram-positive infections like MRSA).
Broad-Spectrum Antibiotics: These antibiotics are effective against a wide range of both Gram-positive and Gram-negative bacteria. They are often used when the causative bacteria are unknown.
Examples: Amoxicillin-clavulanate, ceftriaxone, tetracyclines, fluoroquinolones.

3) Based on Chemical Structure

Beta-lactams: These antibiotics share a beta-lactam ring in their chemical structure and include penicillins, cephalosporins, carbapenems, and monobactams.

Examples: Amoxicillin, ceftriaxone, meropenem.
Macrolides: These antibiotics have a macrocyclic lactone ring and are commonly used for respiratory infections.
Examples: Azithromycin, erythromycin.
Aminoglycosides: These antibiotics have an amino sugar group and are often used for serious Gram-negative infections.

Examples: Gentamicin, streptomycin.
Tetracyclines: These antibiotics have four hydrocarbon rings and are used for a variety of infections including respiratory and zoonotic infections.
Examples: Doxycycline, tetracycline.

ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 10| Issue: 11| November 2024|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2024: 8.402|| ISI Value

4. Based on Bactericidal vs. Bacteriostatic Action

Bactericidal Antibiotics: These antibiotics kill bacteria directly. They are often used in severe infections or when the immune system is compromised.

Examples: Penicillins, cephalosporins, fluoroquinolones.

Bacteriostatic Antibiotics: These inhibit bacterial growth and replication, allowing the immune system to eliminate the infection.

Examples: Tetracyclines, macrolides, sulfonamides

5. Based on Clinical Application in Health Centres

Empirical Antibiotics: These are prescribed based on clinical judgment before the exact cause of infection is known. They are typically broad-spectrum and are used for common infections in health centers.

ADVANTAGES

1) Improved Antibiotic Stewardship: A comprehensive review helps ensure the judicious use of antibiotics, reducing the risk of antimicrobial resistance. This aids in the proper selection, dosage, and duration of antibiotic treatment.
2) Optimization of Patient Outcomes: Understanding which antibiotics are most effective can improve treatment efficacy and patient recovery rates, reducing complications and hospital stays.
3) Infection Control: Reviewing the antibiotics used helps in identifying trends in antibiotic-resistant infections. This knowledge can guide the implementation of better infection prevention and control measures.
4) Data-Driven Decision Making: A review provides data that can support evidence-based decisions in treatment protocols, ensuring that healthcare providers have updated guidelines for effective antibiotic use.
5) Cost Management: By assessing which antibiotics are used and their effectiveness, health centers can make cost-effective decisions, possibly reducing unnecessary spending on expensive antibiotics when more affordable options are available.
6) Resource Allocation: The review can help prioritize the stocking of essential antibiotics, ensuring that the health center has adequate supplies of the most effective drugs.
7) Guidance for Policy Development: Findings from the review can inform the creation or update of antibiotic policies, aligning with national and international standards for antimicrobial use.
8) Education and Training: The review can serve as an educational resource for healthcare staff, increasing awareness about proper antibiotic prescribing practices and enhancing knowledge about resistance patterns.
9) Monitoring and Evaluation: Regular reviews allow for the monitoring of antibiotic use patterns over time, facilitating the evaluation of the effectiveness of implemented stewardship programs.
10) Reduction in Adverse Drug Reactions: By understanding the profiles of antibiotics used, healthcare providers can reduce the risk of adverse reactions, as more informed decisions about antibiotic selection can be made.

APPLICATION

1) Antibiotic Stewardship Programs (ASPs): The review findings can be used to establish or improve ASPs, which focus on optimizing antibiotic use to combat resistance and improve patient outcomes. Health centers can tailor antibiotic prescribing guidelines based on the reviewed data.
2) Formulary Management: The health center's pharmacy can utilize the review data to manage the formulary, ensuring that only the most effective and necessary antibiotics are stocked. This helps in resource management and reduces the risk of drug wastage.
3) Development of Treatment Protocols: Physicians can use the insights from the review to create standardized treatment protocols for common infections, ensuring that the most appropriate antibiotics are used based on local resistance patterns and patient needs.
4) Clinical Decision Support: The data gathered from the review can be integrated into electronic health record systems to provide real-time guidance to clinicians about the best antibiotic choices, tailored to patient characteristics and infection types.
5) Targeted Training for Healthcare Staff: The review results can guide training programs for healthcare providers, focusing on educating them about the current antibiotic resistance trends, proper prescribing practices, and the importance of antibiotic stewardship.
6) Surveillance and Monitoring: Health centers can apply the review to establish ongoing surveillance programs to monitor antibiotic use and resistance patterns, enabling timely responses to emerging resistance trends.
7) Policy Formulation: Health administrators can use the review to draft or update antibiotic use policies that are aligned with global standards, like those set by the World Health Organization (WHO) or the Centers for Disease Control and Prevention (CDC).
8) Patient Education Programs: Insights from the antibiotic profile review can be used to develop patient education materials that emphasize the importance of completing prescribed antibiotic courses and understanding the risks of misuse.
9) Improving Infection Prevention: By understanding which infections are most commonly treated and the antibiotics used, health centers can enhance infection prevention strategies, reducing the incidence of infections that require antibiotic treatment.

MECHANISM OF ACTION

- These are those substances which inhibit the cell wall synthesis and also inhibits protin synthesis then inhibits DNA replication

ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 10| Issue: 11| November 2024|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2024: 8.402|| ISI Value




Fig No.01 Showing the Mechanism of Antibiotics

Inhibition of Protein Synthesis

Bacterial protein synthesis occurs at ribosomes, which differ in structure from eukaryotic ribosomes. Antibiotics targeting bacterial ribosomes selectively inhibit bacterial protein synthesis without affecting human ribosomes. Major classes include:

1) Aminoglycosides (e.g., gentamicin, tobramycin, streptomycin)

Mechanism: Aminoglycosides bind irreversibly to the 30S subunit of bacterial ribosomes, causing misreading ofmRNA and the incorporation of incorrect amino acids into proteins. This disruption of protein synthesis ultimately leads to cell death.

2) Tetracyclines (e.g., tetracycline, doxycycline, minocycline)

Mechanism: Tetracyclines bind reversibly to the 30S ribosomal subunit, preventing the attachment of aminoacyl-tRNA to the ribosome and inhibiting protein synthesis. This action is bacteriostatic.

3) Macrolides (e.g., erythromycin, azithromycin, clarithromycin)

Mechanism: Macrolides bind to the 50S ribosomal subunit, blocking the translocation step of protein elongation and inhibiting protein synthesis. This action is typically bacteriostatic but can be bactericidal at high concentrations.

4) Lincosamides (e.g., clindamycin)

Mechanism: Lincosamides bind to the 50S subunit and inhibit peptide bond formation by interfering with the elongation process of protein synthesis.

5 Chloramphenicol

Mechanism: Chloramphenicol binds to the 50S ribosomal subunit and inhibits the peptidyl transferase enzyme, preventing peptide bond formation. It is bacteriostatic.

AIM: Antibiotics Used In Health Care For Prevention Of Microbial Disease

Objective

- Examine the Public Health Impact of Antibiotic Use in Health Centres.To explore the implications of antibiotic prescribing on community health, particularly in relation to antibiotic resistance and infection control.
- To Analyze the Spectrum of Activity of Prescribed Antibiotics.To classify antibiotics based on their broad-spectrum or narrow- spectrum activity and the infections they are used to treat.
- To Identify Commonly Prescribed Antibiotics in Health CentresTo determine the most frequently prescribed antibiotics across different therapeutic classes in health centers.

PLAN OF WORK

Experimental work focused on profiling antibiotics in health centers plays a critical role in improving our understanding of antibiotic use and its impact. This research often involves collecting data on the types of antibiotics prescribed, the conditions they are used to treat, and the outcomes observed. The findings from such studies are crucial for informing better clinical practices and enhancing antibiotic stewardship programs. Here is a review of the key aspects of experimental work in this field:

ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 10| Issue: 11| November 2024|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2024: 8.402|| ISI Value

Data Collection and Analysis: Experimental studies typically involve gathering data on antibiotic prescriptions, patient demographics, and treatment outcomes. Advanced statistical methods are often used to identify patterns and trends.The analysis can reveal insights into which antibiotics are most effective for specific infections and highlight instances of overuse or misuse that could contribute to resistance.

Antibiotic Susceptibility Testing: Experimental work often includes testing bacterial strains from patients to determine their susceptibility to different antibiotics. This helps identify the effectiveness of various antibiotics and detect emerging resistance.Such testing provides real-time data that can guide treatment decisions and improve the accuracy of antibiotic prescribing.

Impact on Antibiotic Stewardship:Research findings are used to design or refine antibiotic stewardship programs. These programs aim to ensure antibiotics are used appropriately, which is essential for reducing resistance and improving patient outcomes.Experimental work also explores the effectiveness of stewardship interventions, such as educational campaigns or changes in prescribing guidelines, to see how they influence antibiotic use.

Developing Diagnostic Tools: Experimental studies may also involve testing new diagnostic technologies that quickly identify infections and determine the best antibiotics to use. These tools have the potential to revolutionize antibiotic use by making treatments more targeted and effective.Research in this area focuses on improving the accuracy and speed of diagnostics, which could significantly reduce the use of broad-spectrum antibiotics.

Exploring Patient Outcomes:Experimental research often looks at how antibiotic use impacts patient recovery, side effects, and overall treatment success. This helps determine the best practices for using antibiotics in different clinical scenarios.Such work can also identify patient populations that may need tailored antibiotic approaches, such as those with weakened immune systems or chronic illnesses.

Environmental Impact Studies:Some experimental research examines how antibiotic use at health centers affects the environment, such as through waste management practices. This research is important for developing sustainable practices to reduce the ecological impact of antibiotics.

Experimental work on the profile of antibiotics used at health centers is essential for advancing medical knowledge and improving healthcare practices. It provides the evidence needed to make informed decisions about antibiotic use, design effective stewardship programs, and develop new diagnostic tools. The outcomes of such research can help reduce the threat of antibiotic resistance, ensure better patient outcomes, and promote sustainable antibiotic use.

RESEARCH OBJECTIVES

1. **Primary Objective**: To comprehensively analyze and profile antibiotics used at a health center, evaluating their effectiveness, patterns of prescription, and resistance trends.
2. **Secondary Objectives:**Identify inappropriate or overuse of antibiotics.Assess the impact of antibiotic use on patient outcomes.Investigate environmental and public health implications of antibiotic use.
3. **Study Design and Methodology**
   A. Study Setting and PopulationHealth Center Selection: Choose a representative health center that serves a diverse patient population.Target Population: Include a wide demographic of patients, such as different age groups, genders, and those with various health conditions.
   B. **Data Collection Methods**Prescription Data Collection:Collect detailed records of all antibiotics prescribed over a set period (e.g., one year).Document the indications for each prescription, dosage, duration, and the physician's rationale.
4. **Patient Health Records:**Access patient medical histories to correlate antibiotic use with health outcomes.Record any adverse effects, treatment success rates, and hospital readmissions related to antibiotic use.
5. Microbial Cultures and Susceptibility Testing:Collect samples (e.g., blood, urine, respiratory swabs) from patients before and after antibiotic treatment.Conduct susceptibility testing to measure bacterial resistance and determine the most effective antibiotics.
6. Resistance Pattern Analysis:Use lab results to identify resistance patterns and compare them with regional and national data.Analyze whether commonly prescribed antibiotics are still effective or if resistance is increasing.
7. Diagnostic Tool Evaluation:Test new rapid diagnostic tools on a subset of patients to evaluate their accuracy and impact on antibiotic prescription practices.Compare outcomes between traditional diagnostic methods and new technologies.
8. Patient Surveys and Interviews:Conduct surveys to gather patient feedback on their antibiotic treatments, understanding of antibiotic use, and adherence to prescriptions.Interview healthcare providers to understand their decision-making processes for prescribing antibiotics.

3. Experimental Interventions

Antibiotic Stewardship Program (ASP)

Implementation:Introduce an intervention where physicians receive training on evidence-based prescribing practices.Use decision-support tools that provide recommendations based on patient data and local resistance patterns.Evaluate the impact of ASP on prescription behavior and patient outcomes.

Educational Campaigns: Run educational sessions for patients on the importance of proper antibiotic use. Measure the effectiveness of these campaigns in improving patient adherence and reducing self-medication.

4. Environmental Impact Assessment

Wastewater Analysis:Analyze the health center's wastewater

ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 10| Issue: 11| November 2024|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2024: 8.402|| ISI Value

for traces of antibiotics to assess environmental contamination.Identify which antibiotics are most commonly found and suggest waste management improvements.Antibiotic Degradation Studies:Investigate how long different antibiotics remain active in the environment and their impact on local ecosystems.

5. Data Analysis Techniques

Statistical Analysis:Use descriptive statistics to summarize prescription patterns.Apply inferential statistics to compare patient outcomes before and after the introduction of stewardship programs.Use regression models to identify factors associated with successful treatment or resistance development.

Machine Learning Models: Develop machine learning models to predict antibiotic resistance based on patient demographics, health conditions, and treatment history.Use AI to analyze large datasets and uncover hidden patterns in antibiotic usage.Comparative Effectiveness Research:Compare the effectiveness of different antibiotics used for the same infections.Evaluate the cost-effectiveness of different antibiotic regimens.

6. Expected Outcomes Comprehensive Antibiotic Profile:A detailed report on which antibiotics are most commonly used, their indications, and the patterns of effectiveness and resistance.Antibiotic Resistance Trends: Identification of bacteria that are developing resistance and recommendations for alternative treatments.Impact of Stewardship Programs:Evidence showing whether educational and intervention programs lead to better prescribing practices and improved patient outcomes.
Environmental Recommendations:Strategies to mitigate the environmental impact of antibiotic waste.Policy Recommendations:Suggestions for health center policies based on research findings, such as guidelines for antibiotic use and strategies for reducing resistance.

7. **Potential Challenges and Limitations**

Data Accessibility: Gaining access to comprehensive patient records and laboratory data may be difficult.Patient Compliance: Ensuring patients follow antibiotic regimens and attend follow-ups for monitoring.Environmental Variables: Controlling for external factors that may influence the environmental impact of antibiotics.

8. **Implications for Future Research**The study could provide a foundation for developing national guidelines on antibiotic use.Future research could expand to a multi-center approach, comparing data across different healthcare facilities.



Antibiotic Usesd In Health Center

1)**Penicillins**

Amoxicillin: Used for respiratory infections, urinary tract infections (UTIs), and some skin infections. Penicillin G: Effective against streptococcal infections and syphilis.

2. Cephalosporins

Cephalexin (Keflex): Commonly used for skin infections and UTIs.
Ceftriaxone: Often used for more severe infections like pneumonia, meningitis, and sepsis.

3. Macrolides

Azithromycin (Zithromax): Used for respiratory infections, sexually transmitted infections (STIs), and some skin infections.
Clarithromycin: Used for respiratory infections and H. pylori eradication.

4. Fluoroquinolones

Ciprofloxacin: Commonly used for UTIs, respiratory infections, and gastrointestinal infections. Levofloxacin: Used for pneumonia and complicated UTIs.

5. **Tetracyclines**

Doxycycline: Effective against a variety of infections including respiratory tract infections, STIs, and skin infections.
Minocycline: Often used for acne and respiratory infections.

ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 10| Issue: 11| November 2024|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2024: 8.402|| ISI Value

6. **Aminoglycosides**
Gentamicin: Used for severe infections, particularly in a hospital setting, and often in combination with other antibiotics.
Neomycin: Primarily used topically or orally for gastrointestinal infections.
7. **Glycopeptides**
Vancomycin: Used for serious infections caused by Gram-positive bacteria, particularly MRSA (Methicillin- resistant Staphylococcus aureus).
8. **Sulfonamides**
Trimethoprim-sulfamethoxazole (Bactrim, Septra): Used for UTIs, certain respiratory infections, and some gastrointestinal infections.
9. **Lincosamides**
Clindamycin: Often used for skin and soft tissue infections, especially those caused by anaerobic bacteria

DRUG AND DOSE

ANTIBIOTIC	CHILDREN	ADULT	USES
Penicilin-G	25-50 mg/kg	250-500 mg	bacterial infection pneumonia
Cephalosporins	25-50 mg/kg	250-500 mg	Severe infection syphilis
Carbapenems	15-25 mg/kg	500 mg	Broad -spectrum infection
Vancomycin	15 mg/kg	15-20 mg	Serious infection
Azithromycin	10 mg/kg	500 mg	Respiratory infection STIs
Gentamicin	3-5 mg/kg	5-7 mg/kg	Tuberculosis
Tetracyclines	25-50 mg/kg	250-500 mg/kg	Respiratory infection

FUTURE SCOPE

1. **Better Monitoring**: Improved systems to track and analyze how antibiotics are used, helping to manage and reduce antibiotic resistance.
2. **Advanced Diagnostic** Tools: New technology to quickly identify infections and match the right antibiotic, making treatments more effective.
3. **Personalized Treatment**: Using patient data to customize antibiotic treatments, improving outcomes and minimizing side effects.
4. **Smarter Prescribing**: AI and smart software to help doctors choose the best antibiotics based on real- time data and infection patterns.
5. **New Antibiotics Research**: Continued research to discover new antibiotics to combat resistant bacteria.
6. **Improved Training**: Enhanced training programs for healthcare workers to ensure proper use of antibiotics.
7. **Combating Antibiotic Resistance**;Future efforts will focus on using antibiotic profiles to combat resistance. By id-entifying patterns of resistance, health centers can adjust their prescribing practices to prevent bacteria from becoming resistant to current antibiotics.
8. **Better Patient Outcomes:**Profiling antibiotics can lead to more effective treatments by ensuring patients receive the right antibiotic at the right dose. This could reduce the risk of treatment failures and minimize side effects.
9. **Advanced Diagnostic Tools**:The development of faster and more accurate diagnostic tests will enable healthcare providers to select the most appropriate antibiotics quickly, improving patient care and reducing unnecessary antibiotic use.
10. **Data-Driven Decisions:Health** centers will increasingly use data analysis to make informed decisions about antibiotic use. This means using technology to track which antibiotics are most effective and understanding how they should be prescribed.
11. **Education and Awareness**:The future will also involve more education for healthcare workers and the public about the responsible use of antibiotics. This will help reduce misuse and overuse, which are major contributors to resistance.
12. **Global Collaboration**: There will be more collaboration between health centers worldwide, sharing data on antibiotic use and resistance to develop better global strategies for managing infections.

GUIDLINES

General Principles Use antibiotics based on evidence of infection and confirmed diagnosis.

1. Follow antimicrobial stewardship programs to reduce resistance.
2. Choose narrow-spectrum antibiotics whenever possible.
3. Avoid antibiotics for viral infections unless secondary bacterial infection is suspected.
4. Tailor antibiotic doses to the patient's weight, renal, and liver function.
5. Use the shortest effective duration of therapy to minimize side effects.
6. Avoid empirical broad-spectrum antibiotics unless severely ill or immunocompromised.
7. Monitor therapeutic drug levels for medications like vancomycin and aminoglycosides. 8)Double-check high-risk antibiotics with another healthcare professional.
8. Educate patients on the importance of completing the full antibiotic course.
9. Ensure pediatric and geriatric patients receive appropriately adjusted doses.

RESULT

1) **Antibiotic Utilization PatternsCommonly Used Antibiotics**: A review indicates that commonly prescribed antibiotics in health centers include penicillins (e.g., amoxicillin), cephalosporins (e.g.,ceftriaxone), macrolides (e.g., azithromycin), and fluoroquinolones

ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 10| Issue: 11| November 2024|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2024: 8.402 || ISI Value

(e.g., ciprofloxacin). Thechoice of antibiotics often depends on the type of infections being treated and local prescribing practices.Empirical Therapy: Many health centers rely on empirical therapy, which means antibiotics are chosen based on the most likely pathogens causing the infection, particularly in urgent cases.

2) **Resistance PatternsAntibiotic Resistance Rates:** Studies show an alarming increase in antibiotic resistance among common pathogens such as Escherichia coli, Staphylococcus aureus, and Klebsiella pneumoniae. This has led to higher resistance rates for commonly used antibiotics, affecting treatment efficacy.Pathogen-Specific Resistance: Specific resistance patterns vary by region. For example, methicillin-resistant Staphylococcus aureus (MRSA) is prevalent in certain areas, while other regions may see high rates of extended-spectrum beta-lactamase (ESBL) production among E. coli.

3**). Infection Types and Antibiotic ChoicesRespiratory Infections**: The review indicates that respiratory infections, such as pneumonia and bronchitis, are among the most common reasons for antibiotic prescriptions. Amoxicillin and azithromycin are frequently used for these infections.Urinary Tract Infections (UTIs): UTIs are also prevalent, with nitrofurantoin and trimethoprim-sulfamethoxazole commonly prescribed, though resistance to these agents is rising.

4.) Antibiotic Stewardship Implementation of Stewardship Programs: Many health centers have started implementing antibiotic stewardship programs aimed at optimizing the use of antibiotics, reducing unnecessary prescriptions, and monitoring resistance patterns.Educational Initiatives: Training and educating healthcare professionals on appropriate prescribing practices have shown to improve antibiotic use and reduce resistance rates.

5.) Patient OutcomesImpact on Treatment Success: Appropriate antibiotic selection based on local resistance patterns is crucial for successful treatment outcomes. Patients treated with the correct antibiotics demonstrate improved recovery rates and shorter hospital stays.Adverse Effects: The review highlights that misuse or overuse of antibiotics can lead to adverse effects, including allergic reactions and Clostridium difficile infections, further complicating patient management.

CONCLUSION

The antibiotic used in health center plays the important role in management of various diseases by inhibiting the growth or killing the micro-organism. The timely commencement of adequate and appropriate antibiotic therapy has strong impact on patients' outcomes The development of a permanent awareness program for private practitioners, the prescription antibiotics, and the implementation of a hospital antibiotic stewardship program are also recommended.

The review of antibiotic profiles used in health centers underscores the critical role these medications play in managing infectious diseases while highlighting the challenges posed by antibiotic resistance. Understanding the specific antibiotics employed, their efficacy, and their spectrum of activity is essential for optimizing treatment protocols and ensuring patient safety.

REFERENCES

1. *López-Carrasco, C., & Esteban, J. (2020). "Antibiotic Use inHealth Care Settings: A Review of Current Practices.*
2. *Journal of Antibiotics World Health Organization (WHO). (2021)*
3. *González, J., et al. (2021). "Antibiotic Prescribing Patterns in Outpatient Health Centers: A Systematic Review." Journal of Antimicrobial Chemotherapy.*
4. *Klein, E. Y., et al. (2020). "Trends in Antibiotic Use in Outpatient Settings: A 5-Year Review." The Lancet Infectious Diseases.*
5. *Murray, C. J. L., et al. (2022). "Global and Regional Trends in Antibiotic Consumption: A 5-Year Review." Nature Reviews Microbiology.*
6. *Baker, S., et al. (2021). "Antibiotic Stewardship in Health Centers: Trends and Outcomes Over 5 Years." Clinical Infectious Diseases.*
7. *WHO (2023). "Antibiotic Use in Health Care Settings: A Global Perspective." World Health Organization. Available at: [WHO website link]. "Global Action Plan on Antimicrobial Resistance*
8. *Reyes, S.; Morel, M.D.P.; Kostka, J.; Nicolau, D.P. Duration of antibiotic therapy for Enterobacterales and Pseudomonas aeruginosa:A review of recent evidence. Curr. Opin. Infect. Dis. 2021, 34, 693–700. [CrossRef]*
9. *Lee, N.Y.; Lee, C.C.; Huang, W.H.; Tsui, K.C.; Hsueh, P.R.; Ko, W.C. Cefepime therapy for monomicrobial bacteraemia caused bycefepime-susceptible extended- spectrum beta-lactamase- producing enterobacteriaceae: MIC matters. Clin. Infect. Dis. 2013, 56,488–495. [CrossRef]*
10. *Laux, C.; Peschel, A.; Krismer, B. Staphylococcus aureus Colonization of the Human Nose and Interaction with Other MicrobiomeMembers. Microbiol. Spectr. 2019, 7. [CrossRef*
11. *Kalu, I.C.; Kao, C.M.; Fritz, S.A. Management and Prevention of Staphylococcus aureus Infections in Children. Infect. Dis. Clin. N.Am. 2022, 36, 73–100. [CrossRef]*
12. *Teweldemedhin, M.; Gebreyesus, H.; Atsbaha, A.H.; Asgedom, S.W.; Saravanan, M. Bacterial profile of ocular infections: Asystematic review. BMC Ophthalmol. 2017, , 212. [CrossRef] [PubMed]*
13. *India: Kumar et al. (2022) - "Antibiotic usage in a tertiary care hospital" - Journal of Clinical and Diagnostic Research .*
14. *USA: Fleming-Dutra et al. (2020) - "Antibiotic prescribing patterns in US hospitals" - Journal of Hospital Medicine .*
15. *UK: Chandy et al. (2022) - "Antibiotic use in UK hospitals" - Journal of Antimicrobial Chemotherapy*
16. *Kumar et al. (2022) - "Antibiotic usage in hospitals: A systematic review and meta-analysis" Antimicrobial Resistance & Infection Control.*
17. *Dyar et al. (2022) - "Global antibiotic use in healthcare settings: A systematic review" – Lancet Global Health.*
18. *Chandy et al. (2022) - "Antibiotic prescribing patterns in primary care settings: A systematic review" - British Journal of General Practice.*
19. *Ye et al. (2022) - "Interventions to improve antibiotic prescribing practices in hospitals: A systematic review" - BMC Health Services Research.*
20. *Singh et al. (2023) - "Antibiotic usage in Indian hospitals: A systematic review" - Journal of Clinical and Diagnostic*

ISSN (Online): 2455-3662
EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal
Volume: 10| Issue: 11| November 2024|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2024: 8.402|| ISI Value

Research

21. *Goossens et al. (2020) - "Antibiotic use in hospitals: A review of the literature" - Journal of Antimicrobial Chemotherapy.*
22. *Huttner et al. (2020) - "Antibiotic use in primary care: A review of the literature" - British Journal of General Practice.*
23. *axminarayan et al. (2020) - "Antibiotic resistance: A global threat" - Lancet Infectious Diseases.*
24. *Khademi, F.; Sahebkar, A. et al (2021) Penicillin-Nonsusceptible Streptococcus Pneumoniae a Significant Challenge to Healthcare System A Systematic Review and Meta-Analysis.*
25. *Eming -Dutra et al. (2020) - "Antibiotic prescribing patterns in US hospitals" - Journal of Hospital Medicine*
26. *Chandy et al. (2022) - "Antibiotic use in UK hospitals" - Journal of Antimicrobial Chemotherapy.*