



IMPACTS OF PLYOMETRIC TRAINING ON SELECTED MOTOR FITNESS VARIABLES AMONG HANDBALL PLAYERS

Dr. K. Murugavel¹, K. Ooraniyan², N. Kodeeswaran³, G. Prabakaran⁴

¹Senior Professor and Head, Department of Physical Education, Bharathiar University, Coimbatore, Tamilnadu, India.

^{2,3,4}PhD Research Scholar, Department of Physical Education, Bharathiar University, Coimbatore, Tamilnadu, India.

ABSTRACT

The purpose of this study was to explore the impacts of plyometric training on selected motor fitness variables among handball players. To achieve this purpose of the study thirty school level boys handball players were selected from chavara HSS, Coimbatore, Tamil Nadu, India were randomly selected as subjects. Their age ranged in between 17 and 19 years. The subjects were divided into two groups namely plyometric group and control group. The plyometric group was subjected to plyometric training (for weekly three days Monday, Wednesday, Friday) at evening session for six weeks. Speed, agility and leg explosive power was selected as dependent variable. After the collection of appropriate data, it was statistically analyzed by using paired 't' test. The level of significance was set at 0.05. The result of the present study showed that the plyometric training has significant improvement on speed, agility and leg explosive power of handball players.

KEYWORDS: plyometric training, motor fitness variables, handball players.

INTRODUCTION

Plyometric (also known as "ploys") is a type of exercise training designed to produce fast, powerful movements, and improve the functions of the nervous system, generally for the purpose of improving performance in sports. Plyometric movements, in which a muscle is loaded and then contracted in rapid sequence, use the strength, elasticity and innervations of muscle and surrounding tissues to 23 jump higher, run faster, throw further, or hit harder, depending on the desired training goal. Plyometric is used to increase the speed or force of muscular contractions, providing explosiveness for a variety of sport-specific activities. Plyometric has been shown across the literature to be beneficial to a variety of athletes. Benefits range from injury prevention, power development and sprint performance amongst others. Plyometric exercise refers to those activities that enable a muscle to reach maximal force in the shortest possible time. "Plyometric" is a combination of Greek words that literally means to increase measurement plyometric exercise is a quick, powerful movement using a pre-stretch or counter movement, which involves the stretch-shortening cycle (SSC). The purpose of plyometric exercise is to increase the power of subsequent movements by using both the natural elastic components of muscle and tendon and the stretch reflex. To effectively use plyometric as part of a training programme, it is important to understand:

1. The mechanics and physiology of plyometric exercise
2. Principles of plyometric programme Design
3. Methods of safely and effectively performing specific plyometric exercises.

Plyometric involve power jumping, repetitive bounding and quick force production. When your muscles eccentrically contract, or shorten, then immediately stretch and lengthen, they produce maximal power ideal for athletic situations. It is a fast movement that happens over a short period. Plyometric are ideal for athletes or people looking to improve muscular power, speed and strength (Baechle, 2008).

handball is one of the fastest games in which high level conditioning and coordinative abilities with technical and tactical potentials are essential to perform every skill at desired or required level. In handball is a same speed, leg explosive power and agile.

METHODOLOGY

The purpose of this study was to explore the impacts of plyometric training on selected motor fitness variables among handball players. To achieve this purpose of the study thirty school level boys handball players were selected from chavara HSS, Coimbatore, Tamil Nadu, India were randomly selected as subjects. Their age ranged in between 17 and 19 years. The subjects were divided into two groups namely plyometric group and control group. The plyometric group was subjected to plyometric training (for weekly three days Monday, Wednesday, Friday) at evening session for six weeks. Speed, agility and leg explosive power was selected as dependent variable. After the collection of appropriate data, it was statistically analyzed by using paired 't' test. The level of significance was set at 0.05.



Table 1: Criterion Measures Motor Fitness Variables

Variables	Test items	Unite of measurement
Speed	AAPHERD Youth Fitness Test (50meters Dash)	Seconds
Agility	JCR Test (Shuttle Run)	Seconds
Leg Explosive	JCR Test (Vertical Jump)	Centimeters

Training Procedure

For plyometric group underwent their training programme as three days per week for six weeks. Training was given in the evening session. The training session includes warming up and cool down. Every day the workout lasted for 45 to 60 minutes approximately. The subjects underwent their

training programme as per the schedules such as side to side ankle hops, double leg hops, split jumps, lateral cone hops and single leg bounding under the strict supervision of the investigator during experimental period control group did not participate in any of the special training.

RESULTS

Table 2: Comparison of Mean, and ‘t’-Values of Motor Fitness Variables between Pre & Post Test among Plyometric and Control Groups

S. No	Physical Fitness Variables	Groups	Test	Mean	‘t’ Values
1.	Speed	Plyometric group	Pre Test	7.81	13.43*
			Post Test	7.77	
		Control group	Pre Test	7.81	0.48
			Post Test	7.82	
2.	Agility	Plyometric group	Pre Test	20.61	13.16*
			Post Test	20.58	
		Control group	Pre Test	20.77	1.75
			Post Test	22.34	
3.	Leg Explosive Power	Plyometric group	Pre Test	35.06	15.04*
			Post Test	37.80	
		Control group	Pre Test	34.26	0.52
			Post Test	34.13	

*Significant at 0.05 level of confidence

Table-II reveals that the obtained mean values of pre test and post-test of plyometric group for speed, agility and leg explosive power were 7.81 and 7.77, 20.61 and 20.58, 35.06 and 37.80 respectively; the obtained ‘t’ ratio were 13.43*, 13.16* and 15.04* respectively. The tabulated ‘t’ value is 2.14 at 0.05 level of confidence for the degree of freedom 14. The calculated ‘t’ ratio was greater than the table value. It is found to be significant change in speed, agility and leg explosive power of the handball players. The obtained mean values of pre-test and

post test scores of control group were 7.81 and 7.82, 20.77 and 22.34, 34.26 and 34.13 respectively, the obtained ‘t’ ratio was 0.48, 1.75 and 0.52. The required table value is 2.14 at 0.05 level of confidence for the degree of freedom 14. The calculated ‘t’ ratio was lesser than the table value. It is found to be insignificant changes in speed, agility and leg explosive power of the handball players. The mean values of selected motor fitness variables among plyometric group and control group are graphically represented in fig-1.




Fig 1: Bar Diagram Showing the Pre Test and Post Test on Selected Motor Fitness Variables of Plyometric and Control Groups (SPG, SCG, APG, ACG, LPG & LCG)

DISCUSSION ON FINDINGS

The results of the study indicated that the selected Motor fitness variables such as speed, agility and leg explosive power were improved significantly after undergoing plyometric training. The changes in the selected parameters were attributed the proper planning, preparation and execution of the training package given to the players. The findings of the present study had similarity with the findings of **Nithin Rajan and Ahamed Faiz PA (2018)** ^[4], **Keerthi Kumar M, Sundar Raj (2016)** ^[3], **Veeramani (2015)** ^[6], The results of the present study indicates that the plyometric training methods is appropriate protocol to improve speed, agility and leg, explosive power of school level boys handball players. From the result of the present study it is very clear that the selected Motor fitness variables such as speed, agility and leg explosive power improvement significantly.

CONCLUSIONS

Based on the findings and within the limitation of the study

1. It was noticed that practice of plyometric training helped to improve selected Motor fitness variables of school level boys' handball players.
2. It was also seen that there is progressive improvement in the selected criterion variables of plyometric group of school level boys' handball players after six weeks of plyometric training programme.
3. Further, it also helps to improve selected Motor fitness variables such as speed, agility and leg explosive power.

REFERENCES

1. **Senthil Kumaran (2021)**. Combination of Specific Basketball Skill Training and Pranayama Practices on Basketballers' Systolic Blood Pressure. *Bharathiar National Journal of Physical Education and Exercise Sciences*, Volume-12, Issue-4, Pages: 14-17.
2. **Abdul Halik, Senthil Kumaran, Arun Kumar, Rajesh and Princy (2021)**. Effect of Complex Training on Strength Endurance and Agility among Basketballers. *International Journal of Research Publication and Reviews*, Volume-2, Issue-8, Pages: 157-160.
3. **Abdul Halik, Senthil Kumaran, Princy and Rajesh (2021)**. Comparative Study on Psychological Variables between Volleyballers and Basketballers. *International Journal for Science and Advance Research in Technology*, Volume-7, Issue-5, Pages: 552-554.
4. **Senthil Kumaran and Abdul Halik (2021)**. Tracking Instant Physiological Changes pre-post Basketball play. *International Journal of advance research and innovative ideas in education*, Volume-7, Issue-3, Pages: 436-439.
5. **Senthil kumaran and vinothkumar (2018)**. Effect of Loop Band Training on Leg Strength among Basketball Players. *International Journal of Physical Education and Health*, Vol. 5 Issue 2, Part F, Pages: 340-342.
6. **Senthil kumaran and mahaboobjan (2018)**. Impact of Specific Skill Training on Dribbling among Basketball Players. *International Journal of Scientific Research*, Vol. 7 Issue 5, pages: 675-676.
7. **Senthil kumaran (2018)**. Impacts of Plyometric Training on Selected Physical Fitness Variables among Basketball Players. *International Journal of Yoga, Physiotherapy & Physical Education*, Vol. 3 Issue 4, Pages: 52-54.
8. **Balasubraian K, Senthil Kumar PK, Amul Doss A**. Effects of speed agility quickness training and plyometric training on selected physical fitness variable among college men Kabaddi players. *International Journal Physical Education*. 2014;



- 7(1):1-6.
9. Devaraju K. impact of plyometric training on selected physical fitness variables among ball badminton players *International Journal of Advanced Research in Engineering and Technology*. ISSN 0976-6480, ISSN 0976-6499, 2014; 5(1).
 10. Ebben WP. Quantifying plyometric intensity via rate of force development, knee joint, and ground reaction forces. *J strength cond Res*. 2007, 763-7.
 11. Eskandar Taheri, Asghar Nikseresht, Ebrahim Khoshnam. The effect of 8 weeks of plyometric and resistance training on agility, speed and explosive power in soccer players *European Journal of Experimental Biology*. 2014; 4(1):383-386 ISSN: 2248- 9215.
 12. Gunnar Elling Mathisen. effect of high-speed and plyometric training for 13-year-old male soccer players on acceleration and agility performance *Lase Journal of Sport Science*. 2014; 5(2):3.
 13. Hamdy Kassem Shallaby. the Effect of Plyometric Exercises Use on the Physical and Skillful Performance of Basketball Players *World Journal of Sport Sciences*. 2010; 3(4):316-324. ISSN 2078-4724.
 14. John Shaji, Saluja Isha. Comparative Analysis of Plyometric Training Program and Dynamic Stretching on Vertical Jump and Agility in Male Collegiate Basketball Player *Al Ameen Journal Medical Science*. 2009; 2(1):36-46
 15. Ramkumar K, Chandrasekaran. Effect of Plyometric Training on Selected Motor Fitness Variables among College Volleyball Players. *International Journal of Recent Research and Applied Studies*, 2015; 2(11):12.
 16. Kamaraj P, Dornic A, Rameshkumar S. Impact of Aquatic Based Plyometric Training on Selected Skills Related motor Fitness Components and Performance Variables among Handball Players, 2013.
 17. Khadijeh-Irandoust, Morteza-Taheri. effects of 8-week plyometric and strength training programs on selected physical fitness factors of elite kabaddi players. *Indian journal of fundamental and applied life sciences*. 2014. ISSN: 2231-6345.
 18. Monsef Cherif, Mohamed Said, Sana Chaatani, Olfa Nejlaoui, Daghbaji Gomri, Aouidet Abdallah. The Effect of a Combined High-Intensity Plyometric and Speed Training Program on the Running and Jumping Ability of Male Handball Players *Asian Journal of Sports Medicine*. 2012; 3:1.
 19. Nikola Stojanović, Nikodije Jovanović, Toplica Stojanović. the effects of plyometric training on the development of the jumping agility in volleyball players *Physical Education and Sport*. 2012; 10(1):59-73.
 20. Nisith Data K, Rakesh Bharti. Effect of Aquatic and Land Plyometric Training on Selected Physical Fitness Variables in Intercollegiate Male Handball Players. *International Journal of Medical, Health, and Biomedical, Bioengineering and Pharmaceutical Engineering*. 2015; 9:5.
 21. Piper TJ, Erdmann LD. A 4 Step Plyometric Program. *J. Strength Cond*. 1998; 20(6):72-73.
 22. Rameshkannana S, Chittibabub B. Effect of Plyometric Training on Agility Performance of Male Handball Players. *International Journal of Physical Education, Fitness and Sports Journal*. ISSN: 2277:5447. 2014; 3(4):72.
 23. Shahram Alam, Hamed Alizadeh Pahlavani, Maryam Monazami, Maryam Vatandoust, Abdolmahdi Nasirzade. The Effect of Plyometric Circuit Exercises on the Physical Preparation Indices of Elite Handball Player *Advances in Environmental Biology*, 2012; 6(7):2135-2140. ISSN 1995-0756.
 24. Singh Harmandeep, Kumar Satinder, Rathi Amita, Sherawat Anupriya. Effects of Six-Week Plyometrics on Vertical Jumping Ability of Volleyball Players. *Research Journal of Physical Education Sciences*. 2015; 3(4):1-4. ISSN 2320-9011.
 25. Vijayalakshmi V, Jayabal T. effect of plyometric training with yogic practices on selected physical and physiological variables among adolescent boys *International Journal of Innovative Research & Development*. 2013; 2:5.