

EPRA International Journal of Research and Development (IJRD)

Volume: 9 | Issue: 7 | July 2024

- Peer Reviewed Journal

PREPRATION AND EVALUATION OF NATURAL HERBAL LIP BALM

Vaibhav Shrimant Wakte¹, Avinash D.Hatkar²

¹Student of Bachelor of Pharmacy, Faculty of Pharmacy, Dr. Babasaheb Ambedkar Technological University, Lonere, Raigad.

²Department of Pharmacology, Faculty of Pharmacology, Dr.Babasaheb Ambedkar Technological University, Lonere, Raigad.

ABSTRACT

Cosmetics are the substances used to alter the appearance of the human body. Current cosmetic lip products are based on use of toxic chemical ingredients with various adverse effects. Now a days the demands for herbal cosmetics in the world market are increasing leading to usage of natural ingredients for the production of lip balm. In the present work, Lip Balm using papaya as the main ingredient is prepared. The pH of the Lip balm was found to be 7.5 and the melting point was $60^{\circ}C - 61^{\circ}C$. After performing stability studies at room temperature (27.0°C ± 3.0°C), refrigerated condition (5.0°C ± 2.0°C) and oven temperature (42.0°C ± 2.0°C), it proved that prepared Lip balm was uniform in nature, without any deformation at room temperature and refrigeration. The prepared lip balm was evaluated for the parameters such as colour, appearance, odour, pH, patch test, Spreadability, stability and melting point. **KEYWORDS**: Papaya extract, Coconut oil, Almond oil, Beeswax, Vitamin E, Rose oil

1. INTRODUCTION

Cosmetics play a significant role in today's lifestyle. The trend across various industries, including cosmetics, is shifting towards natural and sustainable practices. Consumers increasingly prefer ingredients derived from natural foods, herbal medicines, and traditional healing methods, reflecting a broader demand for organic vegetable products. Among the widely used cosmetic items are lip care products.

Lip inflammation, characterized by broken, chapped, and painful corners of the mouth, necessitates the use of moisturizers to alleviate discomfort. Dry, cracked lips are a common issue, particularly in harsh weather conditions. While this problem is most prevalent in winter, it can persist throughout the summer as well. Certain ingredients, like menthol, camphor, and peppermint oil, can exacerbate dryness over time.

Herbal extract-based cosmetics are highly regarded for their effectiveness and reliability. For instance, papaya is valued for its antiinflammatory enzymes that promote healing and its rich content of Vitamin C, a powerful antioxidant.

1.1 Types of Lip Balm

A. Tinted Lip Balm

Tinted lip balm not only moisturizes but also adds color to the lips. It is a great alternative for those who prefer a lighter application compared to lipstick. This balm provides hydration and a subtle, luminous color to the lips.

B. Plumping Lip Balm

Plumping lip balm goes beyond moisturizing by making the lips appear fuller. These balms contain special ingredients designed to enhance the lips' volume while also providing protection and hydration.

C. Medicated Lip Balm

Medicated lip balm is typically prescribed by doctors for treating chapped lips and other lip conditions. Although these balms are less soothing and can be irritating, they are effective for medical use as recommended by dermatologists.

D. Flavored Lip Balm

Flavored lip balm includes various flavorings such as vanilla, mint, mango, and other fruity tastes. These balms are designed to moisturize the lips while offering appealing scents and flavors to enhance the user experience

EPRA International Journal of Research and Development (IJRD)

Volume: 9 | Issue: 7 | July 2024

- Peer Reviewed Journal

E. Organic Lip Balm

Organic lip balm is made from natural or organic ingredients like avocado oil, jojoba oil, beeswax, vitamin E, hemp, and cocoa butter. Unlike other lip balms with chemical ingredients that may harm the lips, organic lip balms provide moisture and protection in a natural way.

2. ADVANTAGES AND DISADVANTAGES OF NATURAL LIP BALM

2.1 Advantages

• Natural lip balms help maintain the natural health and beauty of the lips. They can be used by both men and women and provide protection against cold sores, chapping, and dryness.

2.2 Disadvantages

- Lip balms made with low-quality ingredients can severely damage the lips.
- Homemade lip balms generally do not last as long on the lips compared to commercially-prepared ones.
- Natural oils in lip balms can be greasier and harder to spread.

2.3 Anatomy of the Lips

The anatomy of the lips includes various structures that contribute to their function and appearance:



Figure no 1: Anatomy of lips

- Skin: The outer layer of the lips is made of skin, which is thinner and more sensitive than the skin on other parts of the body.
- Vermilion Border: This is the distinct margin that separates the red-colored vermilion area of the lips from the surrounding skin.
- Vermilion Zone: The red area of the lips, which has a high concentration of blood vessels, giving it its color.
- **Philtrum:** The vertical groove or indentation in the center of the upper lip.
- Cupid's Bow: The V-shaped area in the center of the upper lip's double curve.
- Oral Mucosa: A thin, moist tissue layer covering the inner surface of the lips, helping to keep them moist.
- **Muscles:** The orbicularis oris muscle surrounds the mouth and aids in movements like smiling and puckering.
- Nerve Endings: The lips have a high density of nerve endings, making them very sensitive to touch, temperature, and pain.

EPRA International Journal of Research and Development (IJRD)

Volume: 9 | Issue: 7 | July 2024

- Peer Reviewed Journal

3. PROBLEMS RELATED TO LIPS

- Several conditions can affect the lips, including: ٠
- Cheilitis: Inflammation, allergies, or irritants causing dry, cracked, and possibly swollen and painful lips.
- Dry Lips: Loss of moisture due to environmental factors like cold temperatures, dry air, or frequent lip-licking, leading to tight, cracked, or peeling lips.
- Chapped Lips: Severe dryness resulting in painful, bleeding, and uncomfortable lips, often due to prolonged • dryness, sun, wind, or harsh weather.
- Fever Blisters (Cold Sores): Painful, fluid-filled blisters caused by the herpes simplex virus, often flaring up during stress or illness.
- Angular Cheilitis: Inflammation and cracking at the corners of the mouth, possibly due to infections, poor • nutrition, or prolonged moisture exposure.
- Lip Infections: Bacterial, viral, or fungal infections causing swelling, redness, pain, and pus-filled blisters or ٠ sores.
- Allergic Reactions: Swelling, itching, redness, and blistering due to allergic reactions to certain foods, cosmetics, • or lip care products.
- Lip Discoloration: Changes in lip color due to sun exposure, smoking, medications, or underlying health • conditions.

3.1 Difference between conventional lip balm and herbal lip balm:

CONVENTIONAL LIP BALM	HERBAL LIP BALM
Conventional lip balm contains petroleum, syntheticwax, alumina, paraben, hydrogenated oils and artificial fragrances which possess harmful effects sometimes.	They are made with natural and organic ingredients, free from synthetic chemicals and additives
Lip balm are often eaten by the users, so the health regulators have toxic effect due to ingredient that goes with lip balm.	They prioritize using plant based oils , butters, and waxes to moisturize and nourish the lips.

4. INGREDIENTS

• BEESWAX



PAPAYA EXTRACT

Figure no 2: Beeswax



Figure no 3: Papaya Extract



Volume: 9 | Issue: 7 | July 2024

- Peer Reviewed Journal

• COCONUT OIL



Figure no:4 Coconut oil

• VITAMIN E



Figure no 5: vitamin E

• ALMOND OIL



Figure no 6: Almond oil

• ROSE OIL:-



Figure no7: Rose oil

EPRA International Journal of Research and Development (IJRD)

Volume: 9 | Issue: 7 | July 2024

- Peer Reviewed Journal

5. PHARMACOGNOSY OF PAPAYA

- **Biological Name:** Carica papaya
- Common Names: Tree melon, papayero, papaw
- **Biological Source:** Papain, a dried and purified latex from the green fruits and leaves of Carica papaya, family Caricaceae. The plant is cultivated in Sri Lanka, Tanzania, Hawaii, and Florida, growing to a height of 5-6 meters and producing fruits up to 30 cm long and weighing up to 5 kg.

Uses

- 1. Papaya has potent skin-lightening effects due to its exfoliating action and the enzyme papain.
- 2. Papain helps restore even-toned skin by accelerating the shedding of dead skin cells.
- 3. The pulp of ripe papaya provides hydration and nutrition to the skin.

Sr. No:	Ingredients	Chemical	Uses
		condtituents	
1.	Beeswax	Wax ester	Used as a base provides texture create protective barrier
2.	Papaya extract	Carpaine	Moisturize and treat chapped lips
3.	Vitamin e	Alpha- tocopherol	Preservative
4.	Almond oil	Oleic acid 68%	Gives softness
5.	Coconut oil	Fatty acid	Moisturize and nourishes the lips

5.1 Chemical Constituents

Table 2: Chemical Constituents

6. BENEFITS OF USING A PAPAYA LIP BALM

Papaya, rich in antioxidants and vitamin A, helps remove dead cells, whiten skin, reduce unwanted hair, exfoliate dead skin, and repair aging skin. The fruit is rich in papain enzyme, vitamins (especially vitamin A), minerals, flavonoids, and fibers.

- Soothes Inflammation: Papaya has anti-inflammatory and antioxidant properties that help speed healing and reduce inflammation from allergic reactions, sores, cheilitis, or minor burns.
- Relieves Itchy Lips: Calendula in papaya balm helps prevent dermatitis, offering a natural remedy for itchy lips.
- Heals Skin Barrier: Supports and hastens the skin's natural reparative process, especially effective when combined with soothing ingredients like beeswax and Vitamin E
- Locks in Moisture: Prevents moisture loss, ideal for winter use or as an overnight treatment.
- Heals Infections: Papaya has antibacterial and antiviral properties that soothe cold sores and fever blisters, potentially offering relief when combined with other herbs like lemon balm or St. John's wort.

6.1 Application of Natural Lip Balm

- Natural lip balms are used to prevent dryness and protect against environmental factors.
- Numerous chemical-based lip balms are available from brands like The Body Shop, Nivea, Himalaya, Blistex, and Babylip.
- Natural lip balms can be used by both men and women.
- Formulating lip balms requires balancing butters, oils, waxes, and other excipients.
- Since lip balms are often ingested, it is crucial that health regulators closely examine their ingredients.



EPRA International Journal of Research and Development (IJRD)

Volume: 9 | Issue: 7 | July 2024

- Peer Reviewed Journal

7. FORMULATION

Ingredients	Test 1	Test 2
Beeswax	2 gm	10 gm
Papaya extract	2 ml	10 ml
Vitamin e	0.1 gm (1 capsule)	1 gm
Almond oil	3 ml	15 ml
Coconut oil	2 ml	10 ml
Rose oil	2-3 drops	20-24 drops

Table 3: Formulation

7.1 Procedure

The herbal lip balm is formulated by melting beeswax in a porcelain dish on a water bath. Coconut oil, almond oil, and rose oil are heated in a separate dish, then both phases are mixed at the same temperature. Fresh papaya extract and vitamin E are heated in another dish just before mixing. All contents are combined at 150°C with continuous stirring,

then transferred to an ice bath to solidify. After cooling, the mixture is homogenized in a mortar and pestle to achieve the desired texture, then molded and refrigerated to cool completely.

Storage and precautions

- Store in a cool, dry place.
- Away from direct heat.

8. EVALUATION PARAMETERS

• To maintain a consistent standard, the formulated herbal lip balm was evaluated for various parameters:

8.1 Physical Appearance: Color, odor, and taste were determined.

8.2 Melting Point: Determined by melting the material to fill capillaries, then immersing in a vial of water with a controlled temperature.

8.3 Spreadability: Tested by applying the product on a glass slide to observe uniformity and integrity.

8.4 Stability: Placed for accelerated stability studies at room temperature (30°C) and oven temperature (40°C to 50°C).

8.5 Skin Irritation Test: Applied on the skin for 10 minutes to check for irritation.

8.6 pH Parameter: Determined using a pH meter calibrated with buffer solution, aiming for a neutral pH close to 7.

9. RESULTS

Evaluation Parameters	Observed Value
Color	Pink
Odour	Pleasant
Melting point	60c
Spreadability test	Good
Stability test	Good
Skin irritancy test	No irritation
PH	7.5

Table No 4: Result

EPRA International Journal of Research and Development (IJRD)

Volume: 9 | Issue: 7 | July 2024

- Peer Reviewed Journal

10. CONCLUSION

This research aimed to create a lip balm using herbal and natural ingredients. The formulation was developed and assessed for its organoleptic properties, as well as other parameters such as pH, spreadability, and melting point. Stability testing indicated that the formulations are safe for use. According to the stability data, the recommended storage temperature for the formulation is between 25°C and 35°C, with a neutral pH of 7 to 7.5. The melting point of the lip balm was found to be 60°C.

11. REFERENCES

- 1. Shaikh MA, Pathan UA, Patil G. Design and evaluation of herbal lip balm by using beet root. Int J Innov Sci Technol. 2023;8(5):2210-2.
- 2. Kadu M, Vishwasrao S, Singh S. Review on natural lip balm. International Journal of Research in Cosmetic Science. 2015;5(1):1-7.
- 3. V.P. Kapoor, Herbal cosmetics for skin and hair care, Natural Product Radiance. 4 (2005) 306-314.
- 4. Jadhav, A.V., Godse, K.C., Deshmane, P.P., "Formulation and Evaluation of Organic Lip Balm", Indo American Journal of Pharmaceutical Research, 2019. ISSN NO: 2231-6876.
- 5. Balm GT. Soothing Calendula Lip Balm Recipe.
- 6. Nmom, F.W., Ajuru, M.G., et al., "Pharmacognostic Relevance of Calendula Officinalis Based Organic Lip Balm In Managing Human Lip Infection", International Journal of Academic And Applied Research, 2020; 4(12): ISSN NO: 2643-9603.
- 7. B. J.Kukreja, V. Dodwad, Herbal mouthwashes-A gift of nature, International Journal of Pharma and Bio Sciences. 2012 Apr;3(2):46-52.
- 8. Kole PL, Jadhav HR, Thakurdesai P, Nagappa AN. Cosmetic potential of herbal extracts.
- 9. Pradhan KN, Das S, Lakshmi CS, Cosmeceutical lip balm: harnessing the power of herbal ingredients.
- 10. Mundo MA, Padilla-Zakour OI, Worobo RW. Growth inhibition of foodborne pathogens and food spoilage organisms by select raw honeys. International journal of food microbiology. 2004 Dec 1;97(1):1-8.
- 11. Kapoor VP. Herbal cosmetics for skin and hair care., 2005; 4: 306–314.
- 12. Azeredo HM, Santos AN, Souza AC, Mendes KC, Andrade MI. Betacyanin stability during processing and storage of a microencapsulated red beetroot extract.
- 13. Ali BH, Wabel NA, Blunden G. Phytochemical, pharmacological and toxicological aspects of Hibiscus sabdariffa L.: a review. Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives. 2005 May;19(5):369-75.
- 14. Fernandes AR, Dario MF, Pinto CA, Kaneko TM, Baby AR, Velasco MV. Stability evaluation of organic Lip Balm. Brazilian Journal of Pharmaceutical Sciences. 2013;49: 293-9.
- 15. Ahmed, J. K., Salih, H. A. M., & Hadi, G. Anthocyanins in red beet juice act as scavengers for heavy metals ions such as lead and cadmium. Journal of Science and International Technology, 2013; 2(3):269–14.
- 16. Nareswari TL, Syafitri E, Nurjannah O. Sunscreen lip balm stick formulation containing a combination of virgin coconut oil and crude palm oil. Pharmacy Reports. 2022 Dec 3;2(2):48
- 17. Greenberg SA, Schlosser BJ, Mirowski GW. Diseases of the lips. Clinics in Dermatology. 2017 Sep 1;35(5):-4.
- 18. Gyawali R, Paudel PN. Herbal remedies in Cosmeceuticals formulation: A review on Nepalese perspectives. Annapurna Journal of Health Sciences. 2022 Mar 6;2(1):59-65.
- 19. Sankpal RM, Kadam SR, Aswale NS, Navale SS. Natural Lip Balm. International Journal Of Advanced Research In Science, Communication And Technology. 2022:450-3.