



# A REVIEW ARTICLE ON THE VISHAGHANA PROPERTIES OF MANJISHTHA (*Rubia Cordifolia*) IN AYURVEDIC AND CONTEMPORARY SCIENCE

**Dr. Akshita<sup>1</sup>, Dr. Rajveer Sason<sup>2</sup>, Dr. Kulvinder Kaur<sup>3</sup>**

<sup>1</sup>P.G Scholar, P.G. Department of Agada Tantra, R.G. Govt. P.G. Ayurvedic College & Hospital Paprola, H.P.

<sup>2</sup>Reader, P.G. Department of Agada Tantra, R.G. Govt. P.G. Ayurvedic College & Hospital Paprola, H.P.

<sup>3</sup>Lecturer, P.G. Department of Agada Tantra, R.G. Govt. P.G. Ayurvedic College & Hospital Paprola, H.P.

## ABSTRACT

*Visha, or poison, comes from plants, animals, and minerals. We require antidotes or antitoxic medications to offset the harmful effects that poisons have on our bodies. In our treatises, Charak Samhita, Sushruta Samhita, and Ashtanga Hridayam, Vishaghana medicines are listed as a means of arresting the poisonous effects. The antipoisonous properties of Manjishtha will be covered in this article. The availability of both single and multiple manjishtha formulations suggests that it is useful in treating various poisonings. Comprehensive research is conducted on all facets of Manjishtha, with a particular focus on detoxification. All logical references have been chosen, and requirements-based collection, correlation, and explanation have been completed. Manjishtha's medicinal uses are highlighted based on indications and detoxification; these are particularly well-described in Ayurvedic and contemporary texts.*

*The idea is that it will eventually denature any poison by dissecting the pathophysiology of toxicity. If the illness falls under any category related to toxicity, it might be helpful. Many toxicological illnesses are treatable and preventable. Nowadays, it can be widely applied for both curative and preventive purposes to ensure a life free from toxicological agents and disease, based on the concept of Vishaghana qualities of Manjishtha.*

**KEYWORDS:** *Manjishtha, Vishaghana, effects*

## INTRODUCTION

Ayurvedic drugs with several pharmacological actions, such as antidiabetic, antipyretic, anti-inflammatory, analgesic, anti-histaminic, anti-microbial, immunomodulator, anti-herpes, cosmetic conditions, menstrual disorders, and cardio-gastro-hepatoprotective properties, are most commonly found in *Rubia cordifolia*, also known as *Manjishtha*<sup>1</sup>. *Manjishtha* is categorized within the *Vishaghana Mahakashaya Dravya* group, as stated in the *Shadvirechanshataashreeya* chapter of the *Charak Samhita's Sutra Sthana*. Detoxification and *Vishaghana* share the same practical meaning. By neutralizing and denatured toxins and aiding in their escape from the body at the cellular level, *Vishaghana Mahakashaya Dravya* may have antitoxic properties. The medications found in *Vishaghana Mahakashaya* are effective in treating all forms of poisoning, including *Dushi* and *Gara Visha*, as well as bites from snakes, scorpions, rats, stings, and chronic cumulative biochemical toxicity. In Ayurveda, *Agada* is a multi herbo-mineral drug preparation which indicates in various types of poisoning.

## COMMON DESCRIPTION & SCIENTIFIC CLASSIFICATION OF RUBIA CORDIFOLIA<sup>2</sup>

It is a perennial climber that can reach a maximum length of 12 meters on a thorny stem. The leaves are very varied, with whorls of four to six, ovate lanceolate, 5-7 nerved, 2 to 10 cm long, and 2 to 5 cm broad. Flowers are little, white or greenish yellow, aromatic, and tiny. When fruit reaches maturity, it is tiny, glabrous, has one or two seeds, and is either dark purple or blackish. The shrub has fruit and flowers from August to October. The roots of perennial plants display a long, cylindrical shape and a rusty brown color.

Kingdom	Class	Subclass	Order	Family	Genus	Species
Plantae	Dicotyledons	Sympetalae	Rubiales	Rubiaceae	Rubia	cordifolia



**Table 1: Categorizes *Manjishtha* in different Ayurvedic texts based on General and *Vishaghana* classifications**

S.N.	Ayurvedic Literature	General Classification	Vishaghana Classification
1.	<i>Charak samhita</i> <sup>3,4,5</sup>	<i>Varnya, Jwarhar</i>	+
2.	<i>Sushruta samhita</i> <sup>6,7</sup>	<i>Priyangavadi, Ambashthadi gana</i>	-
3.	<i>Ashtang Samgraha</i> <sup>8,9,10</sup>	<i>Priyangavadi</i>	+
4.	<i>B.P. Nighantu</i> <sup>11</sup>	<i>Haritkyadi varga</i>	+
5.	<i>Raj Nighantu</i> <sup>12</sup>	<i>Pippalyadi varga</i>	+
6.	<i>Kaideva Nighantu</i> <sup>13</sup>	<i>Aushadhi varga</i>	+
7.	<i>Dhanvantari Nighantu</i> <sup>14</sup>	<i>Guduchyadi varga</i>	+
8.	<i>Priya Nighantu</i> <sup>15</sup>	<i>Pippalyadi varga</i>	+

**Table 2: Ayurvedic pharmacodynamics of *Manjishtha* (Textbook of Dravyaguna P.V.Sharma, Vol.2, P;800 )**

S.N.	Pharmacodynamics	Explanation
1.	<i>Rasa</i> (Taste)	<i>Tikta</i> (Bitter), <i>Kashaya</i> (Astringent), <i>Madhura</i> (sweet)
2.	<i>Guna</i> (Properties)	<i>Guru</i> (Heavy), <i>Ruksha</i> (dry)
3.	<i>Veerya</i> (Potency)	<i>Ushna</i> (Hot)
4.	<i>Vipaka</i> (Post digestive effect)	<i>Katu</i> (Pungent)
5.	<i>Dosha prabhava</i>	<i>Kapha-pitta shamaka</i>
6.	Pharmacological Action	<i>Varnya, Balya, Vishaghana, Raktaprasadaka, Rasayana</i>

**Chemical Composition of *Rubia cordifolia***

The phytochemical components of *Rubia cordifolia* that are most well-known are anthraquinones and naphthohydroquinones<sup>16</sup>. Rubiadin<sup>17</sup>, Rubicordone A18, Rubiasins A–C19, Rubiatriol<sup>20</sup>, and two pentacyclic triterpenoid compounds, Rubicoumaric acid and Rubifolic acid<sup>21</sup>, are the main components of *Rubia cordifolia*. Additional chemical components include furomollugin<sup>22</sup>, garancin, mollugin, mangistin, and alizarin.

**Table 3: *Agada* Preparation of *Manjishtha* and Therapeutic *Vishaghana Yoga***

S.N.	Mention	Name	Indication	References
1.	<i>Charak</i>	<i>Rajniadi Churna</i>	<i>Visha</i>	C.S.Chi.23/50
		<i>Mahagandhahasti</i>	<i>Visha</i>	C.S.Chi.23/77-94
		<i>Pipplyadi Pishthi</i>	<i>Visha</i>	C.S.Chi.23/185
		<i>Manjishthadi Pana</i>	<i>Mandali Sarpa visha</i>	C.S.Chi.23/196
2.	<i>Sushruta</i>	<i>Mahagada</i>	<i>Vishavegahar</i>	S.S.K.5/61-62
		<i>Rishabhagada</i>	<i>Sarpakeeta visha</i>	S.S.K.5/68-72
		<i>Drakshadi agada</i>	<i>Sarpavisha</i>	S.S.K.5/76-77
		<i>Ksharagada</i>	<i>Visha</i>	S.S.K.6/3-7
		<i>Kalyanak Sarpi</i>	<i>Visha</i>	S.S.K.6/8-11
		<i>Snukakshiradi lehya</i>	<i>Mushak damsha</i>	S.S.K.7/22
3.	<i>Vagbhatt</i>	<i>Manjishthadi churna</i>	<i>Sarpa visha</i>	A.H.U.36/59
		<i>Kashmaryadi pana</i>	<i>Sarpa visha</i>	A.H.U.36/65
		<i>Pathyadi lepa</i>	<i>Vraschika visha</i>	A.H.U.37/38
		<i>Champakadi agad</i>	<i>Luta visha</i>	A.H.U.37/71
		<i>Agardhumadi lepa</i>	<i>Mushaka visha</i>	A.H.U.38/18
		<i>Suryodaya agad</i>	<i>Visha</i>	A.S.U.40/57
		<i>Priyangavadi agad</i>	<i>Visha</i>	A.S.U.40/59
		<i>Mushkadi yoga</i>	<i>Visha</i>	A.S.U.40/81
		<i>Ajeya ghrita</i>	<i>Visha</i>	A.S.U.40/98
		<i>Mahagada</i>	<i>Visha</i>	A.S.U.42/61
		<i>Rishabh Agad</i>	<i>Visha</i>	A.S.U.42/62
4.	<i>Bhavprakash</i>	<i>Kshara agad</i>	<i>Visha</i>	A.S.U.47/38
		<i>Jatyadi Taila</i>	<i>Vishaj Vrana</i>	B.P.M.47/90-95
		<i>Mritypasachhedi ghrita</i>	<i>Visha</i>	B.P.M.67/82-87



		<i>Rajniyugmadi lepa</i>	<i>Luta Visha</i>	B.P.M.67/89
5.	<i>Yogratnakar</i>	<i>Jatyadi Taila</i>	<i>Vishaj Vrana</i>	Y.R. sadyovrana 46-50
		<i>Grahadhumadi yoga</i>	<i>Aakhu Visha</i>	Y.R. visha 111
		<i>Rajniyugmadi lepa</i>	<i>Luta Visha</i>	Y.R. visha 138
		<i>Mrityuchhardi ghrita</i>	<i>Visha</i>	Y.R. visha 164-169

## MATERIALS AND METHODS

All *Ayurvedic* and contemporary references regarding *Vishaghana* are collected from *Ayurvedic* fundamental books and various textbooks, research article, international journals. *Agada's* descriptions were gathered from several old *Ayurvedic* books.

## LITERARY REVIEW

The words "*Agada*" and "*Tantra*" are the two words that make up the sentence. The word *Agada* originates from *Gada*. The names *Gada* (illness) and *Visha* (poison) have distinct meanings. *Agada* can also be referred to as drugs. This is the reason *Agada* is an anti-poisoning medication. *Gada* signifies two different things: *Roga* (illness) and *Visha* (poison). Medication is another name for *Agada*. *Agada* can also be referred to as drugs. This is the reason *Agada* is an anti-poisoning medication. In the *Ayurvedic Samhitas* (Compendium), a variety of single herbs, polyherbal formulations, and herbo-mineral formulations are listed as anti-poisonous. Antitoxic drugs, also referred to as "*Vishaghana*" drugs, neutralize dangerous substances. Some *Vishaghana* medications work because of their inherent qualities (*Dravya Prabhava*), some because of their characteristics (*Guna Prabhava*), and still others because of their dual qualities (*Dravya Guna Prabhava*). These antitoxic herbs and preparations, or *Vishaghana Dravya* and *Vishaghana Yogas* and *Agadas*, are used to treat a variety of diseases and poisonings. These *Ayurvedic* kinds of anti-toxic remedies contain unique combinations for specific dosha vitiation in a range of poisoning situations. *Raktashodhaka* (blood purifying), *Tridoshaghana* (creates bodily humour balance), *Hridya* (protects the heart), and *Ojovardhaka* (rejuvenates) are the results of most of these antitoxic therapies.

## Certain Detoxification-Related Pharmacological Actions of *Rubia Cordifolia*

1. *Rubia cordifolia* has been shown to exhibit antioxidant action against radiation-induced toxicity<sup>24</sup> and lead nitrate<sup>23</sup>.
2. *Rubia cordifolia's* alizarin biomarker is in charge of its antigenotoxic properties<sup>25</sup>.
3. The anti-inflammatory effects of *Rubia cordifolia* in rats with carrageenan paw edema. When the plant was given 10 and 20 milliliters per kilogram of the water extracts, it exhibited notable anti-inflammatory properties comparable to phenylbutazone (100 mg/kg)<sup>26</sup>.
4. Anti-adipogenic activity of 2-carbomethoxy-2, 3-epoxy-3-prenyl-1, 4-naphthoquinone (CMEP-NQ) isolated from the roots of *Rubia cordifolia* L., its effects on cell viability, apoptosis, and adipogenesis in 3T3-L1 preadipocytes were investigated<sup>27</sup>.
5. Alcoholic extracts of *Rubia cordifolia* whole plant show enhance immune-modulating activity (Cell mediated and humoral) due to alkaloids, flavonoids, tannins and phenols of plant<sup>28</sup>.
6. *Rubia cordifolia's* alcoholic root extract offers defense against lipid peroxidation, hemopoietic damage, and genotoxicity brought on by radiation<sup>29</sup>.
7. Purpurin (anthroquinone derivatives) constituents of *Rubia cordifolia* show antigenotoxic activity<sup>30</sup>.
8. It has been demonstrated that *R. cordifolia* exerts cell/neuroprotective effects via avoiding glutathione depletion, raising GSH levels by promoting the production of c-glutamylcysteine ligase, lowering oxidant levels through direct scavenging, and lowering iNOS expression<sup>31</sup>.
9. *R. cordifolia* extracts were also assessed using the 1, 1-diphenyl-2-picryl-hydrazyl and TBARs Thiobarbituric acid reactive substances technique, respectively, for their antioxidant and lipid peroxidation inhibitory activity<sup>32</sup>.
10. Lipid peroxidation in the kidney and liver tissues was also considerably reduced in *Rubia cordifolia* extract treated animals<sup>33</sup>.
11. The hepato-protective activity of an aqueous-methanol extract of *Rubia cordifolia* (Rubiaceae) was investigated against acetaminophen and CCl4 induced hepatic damage<sup>34</sup>.
12. *R. cordifolia* also inhibited lipoxygenase enzyme pathway and production of cumene hydroperoxides as anti-inflammatory reaction<sup>35, 36</sup>

## USES OF MANJISHTHA IN POISONING

**Manjishtha:** *Rubia cordifolia* shows antioxidant activity against lead nitrate and radiation induced toxicity.<sup>37</sup> Purpurin constituents of *Rubia cordifolia* shows antigenotoxic activity. According to *Bhavaprakash*, *Manjishtha* is able to bind itself *Amavisha* and *Garavisha*.

## Contemporary uses

Antimicrobial, antioxidant & astringent



### Action against poison in *Vishaghana Mahakashya*

In *Mahakashya*, *Manjishtha* is primarily chosen for its blood-purifying qualities. It purifies *Rakta Dhatu* since it contains *Madhur*, *Kashaya*, and *Tikta Rasa*.

### DISCUSSION

As we have seen in above literature that *Manjishtha* have been used as a prominent content in many *Agada* (antitoxic) preparations. These *Agada* are mainly used for different types of toxicity as such *Sarpa*, *Luta*, *Vrishchika* and *Mushaka* etc. by our great sages of Ayurveda. According to recent studies, *Manjishtha* also has immunomodulatory, hepatoprotective, nephroprotective, antigenotoxic, and antioxidant properties. The idea of *Manjishtha's Vishaghana Guna* is strengthened by these studies. As we've seen, *Manjishtha* shields the kidney, liver, and many body cells against various radiation and chemical exposures.

### CONCLUSION

As per the above discussion, we conclude that *Manjishtha* is a *Vishaghana* (Anti-toxic) drug useful in different type of toxicity. It will help with biological toxicity, cumulative toxicity, acute and chronic substance-acquired toxicity, metabolic toxicity, etc. and diseases due to toxicity. *Manjishtha* can be easily used in today's era for preventive as well as curative disease and make the life free from toxicological agents.

### REFERENCES

1. Bhatt P et al; *Rubia cordifolia* overview: A New Approach to treat cardiac disorders, *Int. J. Drug Dev. & Res.*, April-June 2013; 5(2):47-54.
2. Sukh Dev: *A selection of Prime Ayurvedic plant drugs Ancient-Modern Concordance*. New Delhi: Anamaya publishers; 2006
3. Shukla V, Tripathi R, Charak S, *Sutrasthan 4/8(8)*, Choukhamba Sanskrit Pratishthan Delhi; 2006,p;72
4. Shukla V, Tripathi R, Charak S, *Sutrasthan 4/8(11)*, Choukhamba Sanskrit Pratishthan Delhi; 2006,p;73
5. Shukla V, Tripathi R, Charak S, *Sutrasthan 4/8(39)*, Choukhamba Sanskrit Pratishthan Delhi; 2006, p;76
6. Shastri A, *Sushruta Samhita Sutrasthan 38/45*, Choukhamba Sanskrit sansthan, Varanasi; 2007, p;144
7. Shastri A, *Sushruta Samhita Sutrasthan 38/8*, Choukhamba Sanskrit sansthan, Varanasi; 2007, p;148
8. Tripathi R, *Ashtang Samgraha Sutrasthan 15/21*, Choukhamba Sanskrit Pratishthan Delhi; 2001, p;300
9. Tripathi R, *Ashtang Samgraha Sutrasthan 15/38*, Choukhamba Sanskrit Pratishthan Delhi; 2001, p;306
10. Tripathi R, *Ashtang Samgraha Sutrasthan 16/31*, Choukhamba Sanskrit Pratishthan Delhi; 2001, p;320
11. Chunekar K, Bhavaprakash N, Haritkyadi Varga 191, Choukhamba bharti academy Varanasi; 2010, p;107
12. Tripathi I, Raj N, Pippalyadi Varga 190-193, Choukhamba Krishnadas academy Varanasi;2010,p;173-174
13. Sharma P, Sharma G, Kaidev N, Aushadhi Varga 1424-1427,1st edition Choukhamba Orientalia Varanasi; 1979, p;264
14. Ojha J, Mishra U, Dhanwantari N, guduchayadi varga 17-18, Choukhamba Surbharti prakashan Varanasi;2004,p;107
15. Sharma P, Priya N, Pippalyadi varga 76, 1st edition Choukhamba Surbharti prakashan Varanasi;2004,p;19
16. Itokawa H, QiaoY, Takeya K. Anthraquinones and naphthohydroquinone from *Rubia cordifolia* phytochemistry.1989; 28(12):3465-3468
17. Rao GMM, Rao CV, PushpangadanP, Shirwaikar A, Hepatoprotective effects of rubiadin, a major constituent of *Rubia cordifolia* Linn. *Journal of Ethnopharmacology*, 2006;103(3)484-490.
18. Li X, Liu Z, Chen Y, Wang LJ, Zhen YN, Sung GZ and Ruan CC, Rubiacardone, A new anthroquinone glycosides from roots of *rubia cordifolia*. *Molecules*, 2009; 14:566-572.
19. Chang LC, Chavez D, Gills JJ, Fongs HHS, Pezzuto JM, Kinghorn AD, Rubiasins A-C, new anthracene derivatives from the roots and stem of *Rubia cordifolia*. *Tetrahedron Lett.*2000; 41(37); 7157-7162.
20. Arisawa M, Ueno H, Nimura M, Hayashi T, MoritaN. Rubiatriol, a new triterpenoid from the chinese drug "Qian Cao Gen" *Rubia cordifolia*. *Journal of Natural Products*. 1986;49(6):1114-1116
21. Talapatra SK, Sarkar AC, Talpatra B, two pentacyclic triterpenes from *Rubia cordifolia* *Phytochemistry*,1981;20(8):1923-1927
22. Gupta PP, Srimal RC, Verma N and Tandon JS: Biological activity and isolation of an active principle *pharmacological biology* 1997, 37(10) 46-49
23. Lodia S, Kansala L, antioxidant activity of *Rubia cordifolia* against lead toxicity, *International journal of pharmaceutical science and research* 2012; 3(7):2224-2232.
24. Tripathi YB, Singh AV, Role of *Rubia cordifolia* Linn. In radiation protection. *Indian journal of Experimental Biology*,2007; 45(7):620-625.
25. Kaur P, Chandel M, Kumar S, Kumar N, Singh B, Kaur S,Modulatory role of alizarin from *Rubia cordifolia* L. against genotoxicity of mutagens. *Food and Chemical Toxicology*,2010; 48:320-325.
26. Johrapurkar AA, Zambad SP, Wanjari MM and Umathe SN:In vivo evaluation of antioxidant activity of alcoholic extract of *Rubia cordifolia* Linn. and its influence on ethanol-induced Immunosuppression. *Indian Journal of Pharmacology* 2003; 35:232-236
27. Jun do Y, Han CR, Lee JY, Park W, Choi MS, Woo MH, KimYH: Anti-Adipogenic Activity of 2-Carbomethoxy-2,3-Epoxy-3-Prenyl-1,4-Naphthoquinone from *Rubia cordifolia* L. *Journal of Medicinal Food* 2011; 14(5):454-61
28. Aslam M, Imtiyaz S, Tariq M, Chaudhary SS, Ahmed K,Unani immunomodulating drugs: An overview, *Int.J.Med.Pharma.Sci.Res.Review*, 2013; 1:1-10



29. Tripathi, B.Y. & Singh, V.A. *Ind.J.Exp.Bio.* 2007; 45:620-625
30. Thakur AK and Hamrapurkar PD: Quantitative densitometric HPTLC analysis of purpurin in the parts of *Rubia cordifolia* and in pharmaceutical dosage forms. *Journal of Planar Chromatographic- Mode TLC* 2009; 22(2):109-113
31. Basu S, Ghosh A, Hazra B: Evaluation of the antibacterial activity of *Ventilago madraspatana* Gaertn., *Rubia cordifolia* Linn. and *Lantana camara* Linn.: isolation of Emodin and Physcion as active antibacterial agents. *Phytotherapeutic Research* 2005; 19(10):888-894
32. Gorle, A. M. & Patil S. S. *Der Pharmacia Sinica*, 2010;1(3):59-6332. V., Chitra, Kumar K. P. *Int.J. PharmTech Res.* 2009;1(4):1000-1009
33. Gilani AH, Janbaz KH: Effect of *Rubia cordifolia* extract on acetaminophen and CCl<sub>4</sub>-induced hepatotoxicity. *Phytotherapy Research* 1995; 9(5):372-375
34. Antarkar SS, Chinwalla T, Bhatt N, Anti-inflammatory activity of *Rubia cordifolia* Linn. In rats, *Indian J. Pharmacol.*,1983; 15:185-188.
35. Tripathi YB, Sharma M, Shukla S, Tripathi P, Thyagaraju K, Reddanna P, *Rubia cordifolia* inhibits potato lipoxygenase, *Indian J. Exp. Biol.*, 1995; 33:109-112.
36. Tripathi Yb, Singh AV, role of *Rubia cordifolia* Linn. In radiation protection, *Indian Journal of Experimental Biology*, 2007;45(7); 620-625
37. Kaur P, Chandel M, Kumar S, Kumar N, Singh B, Kaur S,modulatory role of purpurin from *Manjishtha* against genotoxicity of mutagens. *Food and Chemical Toxicology*,2010; 48: 320-325