



ROLE OF PHARMACISTS IN HEALTHCARE SERVICES, FOCUSING ON THEIR CONTRIBUTIONS TO PATIENT CARE, MEDICATION MANAGEMENT, AND INTERDISCIPLINARY HEALTHCARE TEAMS

Mr. Nikhil S. Chavan^{1*}, Mr. Swapnil P. Kulthe²

¹Student of Bachelor of Pharmacy Raosaheb Patil Danve College Of Pharmacy, Badnapur, Jalna.

²Department of Pharmaceutics, Faculty of Pharmaceutics, Raosaheb Patil Danve College Of Pharmacy, Badnapur, Jalna.

Raosaheb Patil Danve College Of Pharmacy, Badnapur, Jalna. 431202.

ABSTRACT

During the last few years, the pharmacy profession has expanded significantly in terms of professional services delivery and now has been recognized as an important profession in the multidisciplinary provision of health care. The paper highlights the current scenario of the Pharmacy profession in the health care system. Pharmacist is a backbone that strengthens the health care system. Different roles of Pharmacist in different sectors of the pharmacy profession like Industrial, academic, community health, clinical research, drug design and discovery, developing NDDS etc. In nutshell, pharmacist plays an integral part of the health care system. "Physician gives medicine to the patients but life to medicine given by pharmacist."

Global healthcare expenditure is escalating at an unsustainable rate. Money spent on medicines and managing medication-related problems continues to grow. The high prevalence of medication errors and inappropriate prescribing is a major issue within healthcare systems, and can often contribute to adverse drug events, many of which are preventable. As a result, there is a huge opportunity for pharmacists to have a significant impact on reducing healthcare costs, as they have the expertise to detect, resolve, and prevent medication errors and medication-related problems. The development of clinical pharmacy practice in recent decades has resulted in an increased number of pharmacists working in clinically advanced roles worldwide. Pharmacist-provided services and clinical interventions have been shown to reduce the risk of potential adverse drug events and improve patient outcomes, and the majority of published studies show that these pharmacist activities are cost-effective or have a good cost-benefit ratio. This review demonstrates that pharmacists can contribute to substantial healthcare savings across a variety of settings. However, there is a paucity of evidence in the literature highlighting the specific aspects of pharmacists' work which are the most effective and cost-effective. Future high-quality economic evaluations with robust methodologies and study design are required to investigate what pharmacist services have significant clinical benefits to patients and substantiate the greatest cost savings for healthcare budgets.

INTRODUCTION

The role of pharmacists has significantly expanded over the past few decades. As healthcare providers, pharmacists are increasingly involved in direct patient care, medication management, and chronic disease management. This paper explores the various dimensions of pharmacists' contributions to healthcare services.

Pharmacists have long been recognized as essential members of the healthcare team, playing a pivotal role in ensuring the safe and effective use of medications. Traditionally seen as dispensers of drugs, the role of pharmacists has evolved significantly over the years. In modern healthcare systems, pharmacists are now vital contributors to patient care, public health, and collaborative healthcare practices. Their expertise in pharmacotherapy, medication management, and patient education positions them as critical healthcare providers, directly influencing patient outcomes and the overall quality of care.

Pharmacists also contribute significantly to public health initiatives, such as vaccination programs, tobacco cessation, and the management of antimicrobial resistance. In recent years, advancements in technology, such as telepharmacy and the use of health informatics, have further enhanced the ability of pharmacists to reach and provide care for patients remotely.

Despite these advances, pharmacists face challenges, including regulatory restrictions, time constraints, and varying levels of recognition in different healthcare systems. However, as healthcare continues to evolve, pharmacists are increasingly being acknowledged for their critical role in ensuring medication safety, improving health literacy, and contributing to overall patient well-being.



The focus of profession of pharmacy has shifted from technical, product oriented, functions to patient oriented, health outcomes counseling information and professional services. This shift, generally referred to as “Pharmaceutical Care”, embarrasses the nation that pharmacist, working in collaboration with other health care providers, undertake responsibility for patient outcomes with respect to their drug therapy.

According to WHO “Health is complete physical, mental and social well-being and not merely absence of disease. According to ayurveda swath’s health is defined as “well balance metabolism. Happy state of being senses and mind. In spite of short coming in the WHO difference the Concept of the health is wide and positive and provides an overall goal towards which nations. Should march. “Well Health “of citizens leads to socially and economically protective life that’s. Why health for all every nation

1. Health is an integral part of the development
2. Health is intersect oral
3. Health is central to the concept of quality of life hence, health is world Wide social-goal. To achieve this goal every nation sets professional persons in healthcare System.

Pharmacists can enhance the health of individuals through the art and skill of compounding. Through compounding, the pharmacist partners with prescribers and patients to meet unique medication needs that are not met by commercially available products. Compounding is an age old art of the profession of pharmacy, which is utilized today to provide personalized medication therapies. In her commentary, Burch [8] describes patient care needs that can be met by compounding as well as reviews some of the regulations and best practices governing pharmaceutical compounding

LITERATURE REVIEW

1. Haritha Mohanan. et.al: it is essential to raise public awareness about the knowledge, expertise, and roles of pharmacists as healthcare professionals. Pharmacists' clinical skills beyond medicine supply need to be recognized and appreciated.
2. Jaiprakash V. Kokane et.al: Right drug to the right patient at the right time in the right dose through the right route in the right way
3. Akash A Chavan .et.at: The first person in the healthcare system is the chemist, who fills a variety of jobs, including academic pharmaceutical professionals such as community pharmacists, industrial pharmacists, hospital pharmacists, clinical pharmacists, veterinary pharmacists, etc.
4. Michael L. Adams, et.al.2020, The Role of the Pharmacist in Health Care, This issue of the NCMJ focuses on these and other emerging opportunities and challenges facing the pharmacy profession, and will attempt to address new ways in which the pharmacy profession can add value to the care of the citizens of North Carolina.
5. Kieran Dalton,et.al (2019), Role of the pharmacist in reducing healthcare costs: current insights, Integrated Pharmacy Research and Practice.

AIM AND OBJECTIVE

AIM

Role Of Pharmacists in healthcare services, focusing on their contributions to patient care, medication management, and interdisciplinary healthcare teams.

OBJECTIVE

- To explore the traditional and modern roles of pharmacists in healthcare services.
- To analyze the impact of pharmacists on patient outcomes, medication safety, and overall healthcare quality.
- To discuss the integration of pharmacists into interdisciplinary healthcare teams and their contributions to collaborative care.
- To assess the role of pharmacists in public health initiatives, such as vaccination campaigns, health education, and preventive care.
- To explore collaborative practices between pharmacists and other healthcare professionals in interdisciplinary teams.
- To identify challenges and opportunities for expanding the role of pharmacists in healthcare systems.
- To provide recommendations for policy and practice changes that can further integrate pharmacists into the healthcare team to improve patient outcomes.

Traditional Roles of Pharmacists

1. Dispensing Medications

Dispensing medication refers to the process of providing patients with prescribed medication ,ensuring ,accurate and safe delivery Pharmacists have long been responsible for accurately preparing and dispensing medications prescribed by physicians. This includes verifying prescriptions, ensuring the correct dosage, and packaging the medications appropriately for patient use.



Dispensing Medication Types:

1. Prescription medications
2. Over-the-counter (OTC) medications
3. Controlled substances
4. Specialty medications
5. Compounded medications

2. Compounding Medications

Compounding medication involves preparing customized medications for patients who require specific formulations, strengths, or delivery systems not commercially available.

In earlier times, pharmacists were heavily involved in the compounding of medications, which involved the preparation of customized medications by combining or altering ingredients to fit the specific needs of individual patients.

Types of Compounding:

1. Sterile Compounding: Preparing medications in a sterile environment, typically for injectable or intravenous administration.
2. Non-Sterile Compounding: Preparing medications for oral, topical, or other routes of administration.
3. Compounded Pharmaceuticals: Creating customized medications from raw ingredients.

3. Medication Supply Management

Medication supply management refers to the systematic process of procuring, storing, distributing, and controlling medications within healthcare settings.

Pharmacists traditionally have the responsibility to maintain an adequate supply of medications in their pharmacies. They manage the inventory, ensuring medications are stored correctly and are within their expiration dates.

1. Ensure medication availability and accessibility
2. Maintain medication quality and safety
3. Optimize medication inventory and reduce waste
4. Control medication costs and budget
5. Ensure compliance with regulations and standards.

4. Patient Counseling

Patient counseling is a communication process between a healthcare professional (e.g., pharmacist, nurse, physician) and a patient, focusing on educating and empowering the patient to manage their health, medications, and lifestyle.

While dispensing medications, pharmacists also provide basic patient counseling, informing patients about their medications' proper use and possible interactions with other drugs. This role has been essential for ensuring medication adherence and minimizing adverse effects.

1. Improve patient understanding of medications and treatments
2. Enhance medication adherence and compliance
3. Promote lifestyle modifications and healthy behaviors
4. Address patient concerns and questions
5. Foster a therapeutic relationship between patient and healthcare provider.

MEDICATION THERAPY MANAGEMENT (MTM) AND PHARMACOVIGILANCE

1. Definition and Concept

Medication Therapy Management (MTM) is a patient-centered service provided by pharmacists aimed at optimizing drug therapy and improving therapeutic outcomes. It involves a thorough review of a patient's medications, ensuring that they are appropriate, safe, and effective. MTM is designed for patients who are on multiple medications, have chronic diseases, or are at risk of adverse drug events (ADEs) due to complex medication regimens.

Medication Therapy Management (MTM) is a patient-centered service provided by pharmacists and other healthcare professionals to optimize medication use, improve health outcomes, and reduce healthcare costs.

MTM Process:

1. Patient selection and identification
2. Medication review and assessment
3. Identification of medication-related problems (MRPs)
4. Development of a care plan



5. Implementation and monitoring

6. Follow-up and evaluation

Medication-Related Problems (MRPs):

1. Adverse reactions

2. Allergic reactions

3. Medication interactions

4. Dosing errors

5. Non-adherence

6. Ineffective therapy

Medication Therapy Review (MTR)

Medication Therapy Review (MTR) is a systematic process where a healthcare professional, typically a pharmacist, reviews a patient's medications to optimize therapy, improve health outcomes, and reduce medication-related problems.

A comprehensive review of all medications (prescription, over-the-counter, and herbal) a patient is taking. The goal is to identify and resolve any medication-related problems (e.g., drug interactions, improper dosage, unnecessary medications).

Types of MTR:

1. Comprehensive Medication Review (CMR)

2. Targeted Medication Review (TMR)

3. Focused Medication Review (FMR)

4. Medication Reconciliation Review (MRR)

Benefits:

1. Improved medication adherence

2. Enhanced patient safety

3. Reduced medication errors

4. Improved health outcomes

5. Cost savings

6. Improved patient satisfaction

Personal Medication Record (PMR): A detailed record of all medications a patient is taking, which can be shared with other healthcare providers and used by the patient for self-management.

A Personal Medication Record (PMR) is a comprehensive document that lists a patient's current medications, dosages, and instructions for use. Pharmacists play a crucial role in maintaining and updating PMRs to ensure accurate and safe medication management.

Components of a PMR:

1. Patient demographics

2. Medication list (prescription and over-the-counter)

3. Dosage and frequency

4. Route of administration

5. Duration of therapy

6. Allergies and sensitivities

7. Medical conditions

8. Laboratory results (relevant to medication therapy)

Medication-Related Action Plan (MAP): A Medication-Related Action Plan (MAP) is a personalized plan developed in collaboration with patients, pharmacists, and healthcare providers to manage medications, address medication-related problems, and improve health outcomes.

A patient-specific plan that outlines actionable steps for managing their medications, improving adherence, and achieving therapeutic goals.

Pharmacist's Role in MAP:

1. Conduct medication reviews and reconciliations

2. Identify MRPs and develop action plans

3. Collaborate with healthcare providers



- Educate patients on medication use and safety
- Monitor and adjust MAPs as needed.

2. Benefits of MTM

Improved Patient Outcomes: MTM helps reduce hospitalizations and emergency room visits by preventing medication errors, improving adherence, and optimizing treatment regimens.

Cost Savings: By reducing adverse drug reactions, duplicate therapy, or unnecessary medications, MTM can lower healthcare costs for both patients and the healthcare system.

Enhanced Medication Adherence: Through counseling and education, pharmacists help patients understand the importance of taking their medications as prescribed, leading to better adherence.

Better Disease Management: Better disease management refers to a comprehensive approach to managing chronic conditions, focusing on preventing complications, improving quality of life, and reducing healthcare costs.

PHARMACOVIGILANCE

1. Definition and Purpose

Pharmacovigilance refers to the science and activities related to detecting, assessing, understanding, and preventing adverse effects or other drug-related problems. Its primary aim is to ensure the safety of medicines throughout their lifecycle, from development to post-marketing surveillance.

It plays a vital role in ensuring that the benefits of medications outweigh their risks, thus protecting public health.

Adverse Drug Reaction (ADR) Reporting: Pharmacovigilance is the science and activities related to the detection, assessment, understanding, and prevention of adverse effects or any other drug-related problems.

One of the most important tasks in pharmacovigilance is collecting and reporting adverse drug reactions. Pharmacists, as accessible healthcare professionals, play a key role in detecting and reporting these reactions to national or global databases (e.g., the World Health Organization's VigiBase or the FDA's MedWatch).

Adverse Drug Reaction (ADR) Reporting

- Identification of adverse events
- Collection and evaluation of data
- Reporting to regulatory authorities
- Analysis and assessment of ADRs
- Implementation of risk management strategies

Benefits of ADR Reporting:

- Improved patient safety
- Enhanced drug efficacy and safety
- Reduced medication errors
- Informed regulatory decisions
- Better public health outcomes

Risk Assessment and Management: Once a potential risk or adverse event is identified, pharmacovigilance teams assess its severity and frequency. Based on this, they develop strategies to manage or mitigate the risk (e.g., adjusting dosages, issuing warnings, or recalling the drug).

Risk Assessment:

- Identification of potential risks
- Evaluation of risk likelihood and impact
- Prioritization of risks
- Documentation of risk assessment

Regulatory Actions: Pharmacovigilance findings often lead to changes in drug labeling, restrictions on use, or in extreme cases, the withdrawal of a drug from the market.

Pharmacist's Role in Regulatory Action:

- Medication Safety Surveillance
- Adverse Event Reporting
- Quality Control and Assurance
- Compliance with Regulations
- Patient Counselling and Education



Education and Communication: Pharmacovigilance involves educating healthcare professionals and the public about drug risks and safety. This includes issuing safety alerts, providing updated prescribing information, and developing risk minimization plans. Communication:

1. Patient Counselling: Medication information, side effects, interactions
2. Healthcare Provider Communication: Medication recommendations, therapy changes
3. Patient-Pharmacist Communication: Building trust, understanding
4. Inter professional Communication: Collaborative care, patient-centered care
5. Health Literacy: Clear, simple language, cultural sensitivity

The Role of Pharmacists in Multidisciplinary Teams

Pharmacists bring their expertise in pharmacology, medication management, and patient counseling to multidisciplinary teams. Their roles in such teams include:

A. Medication Expert

Therapeutic Decision-Making: Pharmacists provide recommendations on medication selection, dosing, and administration, ensuring that the chosen therapy is both effective and safe for the patient. This is especially critical in complex cases where polypharmacy (multiple medications) is involved.

Drug Interaction Prevention: Pharmacists review patients' medication lists to detect potential drug-drug, drug-food, or drug-disease interactions that may lead to adverse effects.

B. Medication Reconciliation

Pharmacists are responsible for conducting medication reconciliation at key transition points in care, such as hospital admission, transfer, and discharge. This ensures consistency in the medications patients receive, preventing medication errors, omissions, duplications, or inappropriate therapies.

C. Chronic Disease Management

Pharmacists assist in managing chronic conditions like diabetes, hypertension, asthma, and cardiovascular diseases by optimizing medication regimens, ensuring adherence, and monitoring therapeutic outcomes. In some cases, pharmacists may have collaborative prescribing authority to adjust medication doses or therapies.

D. Educators and Counselors

Pharmacists educate both patients and healthcare team members on proper medication use, potential side effects, and the importance of adherence. They also offer counseling on lifestyle changes, the use of medical devices (e.g., inhalers, and insulin pens), and the management of side effects.

E. Pharmacovigilance and Safety Monitoring:

As part of the healthcare team, pharmacists monitor and report adverse drug reactions and side effects, contributing to ongoing pharmacovigilance efforts. This allows for timely interventions and adjustments to therapy to avoid harm.

Pharmacist-Patient Interaction

Improved Medication Adherence: One of the most significant roles of the pharmacist is ensuring that patients take their medications correctly. Through regular interaction, pharmacists educate patients on the importance of adherence, the correct use of medications, and strategies to overcome challenges (e.g., side effects or complex dosing regimens).

Patient Education: Patient education is the process of informing and teaching patients about their health, medications, and self-care to promote informed decision-making and improved health outcomes.

Pharmacists educate patients about their health conditions, treatment options, potential side effects, and lifestyle modifications. This empowers patients to make informed decisions about their health and medications.

Building Trust: A strong, trusting relationship between pharmacists and patients enhances communication. Patients are more likely to disclose relevant information about their health, allowing pharmacists to provide better care.

Pharmacist's Skills:

1. Communication and interpersonal skills
2. Empathy and active listening
3. Cultural competence and awareness
4. Critical thinking and problem-solving
5. Adaptability and flexibility



Communication Skills: Effective pharmacist-patient interaction relies heavily on the pharmacist's communication skills. Pharmacists must be able to explain complex medical information in simple, understandable terms, tailoring their communication style to meet the patient's needs.

Improving Communication Skills:

1. Practice self-awareness
2. Seek feedback
3. Engage in role-playing
4. Attend workshops and training
5. Join communication-focused groups
6. Read communication-related literature
7. Reflect on past interactions.

Active Listening: Pharmacists need to actively listen to patients' concerns, questions, and symptoms. This helps in identifying issues such as medication side effects, adherence challenges, or potential drug interactions.

Challenges and Barriers

A. High Workload in Community Pharmacies

Pharmacists, particularly in high-volume community pharmacies, often face heavy workloads and high patient volumes. This can reduce the time they have available for thorough counseling sessions, especially if their primary focus is on dispensing medications. **Limited Time for Counseling:** As a result of these time pressures, pharmacists may not always have enough time to engage in detailed consultations or address all patient concerns. This can lead to brief, transactional interactions that focus on medication dispensing rather than holistic patient care.

B. Hospital and Clinical Settings

In hospital settings, clinical pharmacists may also experience time constraints, especially when dealing with multiple patients across different departments. The complexity of medication regimens, combined with limited time, can make it challenging to offer in-depth consultations for each patient.

C. Side Effects and Fear of Medications

Concerns about potential side effects can discourage patients from adhering to their prescribed treatments. Some patients may discontinue medication use without consulting their pharmacist, leading to treatment failure or worsening health conditions.

D. Complex Treatment Regimens

Polypharmacy (the use of multiple medications) is common among patients with chronic conditions, particularly the elderly. Complex regimens, including multiple doses per day or different medications with specific administration requirements, can confuse patients and lead to non-adherence.

E. Financial Barriers

The cost of medications can also be a significant barrier to adherence. Some patients may ration their medications, take lower-than-prescribed doses, or skip doses altogether to save money. Pharmacists may not always have the opportunity to address these concerns during brief interactions.

F. Language Barriers

Language differences between pharmacists and patients can pose significant challenges, particularly in areas with diverse populations. Patients with limited proficiency in the dominant language may have difficulty understanding instructions or communicating their concerns. Without access to translators or multilingual materials, effective pharmacist-patient interaction is compromised.

Future Perspectives

1. **Pharmacists as Primary Care Providers:**
There is growing recognition of the value pharmacists bring as direct care providers, particularly in the management of chronic diseases like diabetes, hypertension, and asthma. In the future, pharmacists are likely to take on more primary care roles, particularly in underserved areas where there is a shortage of healthcare providers.
2. **Advanced Pharmacy Practice:**
As the healthcare system shifts toward preventive care, pharmacists will increasingly play a role in public health initiatives, such as health screenings, vaccinations, and smoking cessation programs. In addition to dispensing medications, pharmacists will focus on wellness and disease prevention.



3. Growth of Telepharmacy:
Telepharmacy services are expected to expand significantly, especially in rural or underserved areas where access to healthcare providers may be limited. Through telepharmacy platforms, pharmacists can provide virtual consultations, monitor chronic conditions, and offer medication therapy management (MTM) services to patients remotely.
4. Integration with Digital Health Tools:
Future pharmacist-patient interactions will be enhanced by digital health tools like mobile apps, wearable health devices, and artificial intelligence (AI)--powered platforms. These tools can track patient health data, remind patients to take medications, and notify pharmacists of potential issues (e.g., missed doses, and adverse drug reactions).
5. Use of Artificial Intelligence (AI) and Big Data:
AI tools can help identify trends in patient behavior, medication use, and potential risks, allowing pharmacists to intervene before problems escalate. For instance, predictive analytics could help pharmacists anticipate when patients are likely to miss doses or experience side effects, prompting timely counselling.
6. Personalized Medication Management:
The future of pharmacist-patient interaction will focus on providing more personalized care. Pharmacists will increasingly tailor medication regimens to each patient's unique needs, preferences, and health conditions, rather than using a one-size-fits-all approach.

CONCLUSION

The future of pharmacist-patient interaction is characterized by greater collaboration, personalized care, and technological integration. Pharmacists are expected to take on more clinical roles, leveraging telepharmacy, digital health tools, and precision medicine to enhance patient outcomes. As the healthcare landscape evolves, pharmacists will play an increasingly central role in the management of chronic diseases, preventive care, and patient education, contributing to a more patient-centered, accessible, and effective healthcare system.

Pharmacist-patient interaction is fundamental to effective healthcare delivery. It improves medication adherence, reduces the risk of medication errors, and leads to better chronic disease management. Pharmacists, as accessible healthcare providers, play a key role in educating and empowering patients, enhancing the overall quality of care and patient satisfaction. By adopting personalized, empathetic, and culturally sensitive approaches, pharmacists can foster trusting relationships with patients, ultimately leading to better health outcomes.

REFERENCE

1. Shafiee Hanjani L, Caffery LJ, and Freeman CR: A scoping review of the use and impact of telehealth medication reviews. *Res Social Adm Pharm* 2020; 16: 1140-1153.
2. Chamoun N, Usta U, and Karaoui LR: Current Trends in Hospital Pharmacy Practice in Lebanon. *Hospital Pharmacy* 2020; 55: 112-118.
3. Meng L, Qiu F and Sun S: Providing pharmacy services at cabin hospitals at the coronavirus epicenter in China. *Int J Clin Pharm* 2020; 42: 305-308.
4. Hua X, Gu M, and Zeng F: Pharmacy administration and pharmaceutical care practice in a module hospital during the COVID-19 epidemic. *JAPAs* 2020; 60: 431-438.
5. Kapoor MC: Types of studies and research design. *Indian J Anaesth* 2016; 60: 626- 630.
6. Gupta V, Hincapie AL, and Frausto S: Impact of a web-based intervention on the awareness of medication adherence. *Res Social Adm Pharm* 2016; 12: 926-936.
7. Chindel, T. J., Barsoum, M. E., & Kung, J. Y. (2021). A scoping review of global pharmacists' roles and services in response to the pandemic. *Pharmacy*, 9(2), 99.
8. Gilbert K, Lisa F, Eddie K, Aneesa A, Parsa S, Ligia P (USAID), Lola D, Ahmed A, Shekwoduza B, Eno U, and Sam U. *Nigeria Health System Assessment* 2008.
9. *Pharmaceutical Jurisprudence* by B.S. Kuchekar.
10. *Health Education and Community Pharmacy* by P. C.Pandya, Z. Y. K. Zafer.
11. *Drug Store and Business Management* by Mohammed Ali.Jyoti Gupta.
12. *Health Education and Community Pharmacy* by S. Khurana, P. Suresh, R. Kalsi.
13. *Hospital Pharmacy* by H.P. Tipnis, Amrita Balaji.
14. News Paper "Aanhi Pharmacist", "Pharmacist Times", "Aushadh Nirmata Doot".Remington's *Pharmaceutical Sciences*.British Pharmaceutical Conference held in 1963. *The role of Pharmacist in health care system report by WHO*
15. Farley JF, Ferreri SP, Easter JC, McClurg MR. *The North Carolina experiment: active research in the development and assessment of new practice models. N C Med J. 2017;78(3):186-190 (in this issue).*
16. Easter JC, DeWalt DA. *The medication optimization value proposition: aligning teams and education to improve care. N C Med J. 2017;78(3):168-172 (in this issue).*
17. Trygstad T. *Payment reform meets pharmacy practice and education transformation. N C Med J. 2017;78(3):173-176 (in this issue).*



18. Urick BY, Brown P, Easter JC. Achieving better quality and lower costs in medicaid through enhanced pharmacy services. *N C Med J.* 2017;78(3):188-189 (in this issue).
19. Bush PW, Daniels R. Health care systems and transitions of care:implication on interdisciplinary pharmacy services. *N C Med J.* 2017;78(3):177-180 (in this issue).
20. . Scott MA, Heck JE, Wilson CG. The integral role of the clinical pharmacist practitioner in primary care. *N C Med J.* 2017;78(3):181-185 (in this issue).
21. Hemberg N, Huggins D, Michaels N, Moose J. Innovative community pharmacy practice models in North Carolina. *N C Med J.* 2017;78(3):198-201 (in this issue).
22. Burch J. Compounding pharmacists provide customized care. *N C Med J.* 2017;78(3):191-194. (in this issue).
23. . Nye AM. A clinical pharmacist in telehealth team care for rural patients with diabetes. *N C Med J.* 2017;78(3):183-184. (in this issue).
24. Trotta K. The role of pharmacists as immunizers in North Carolina.*N C Med J.* 2017;78(3):206-207. (in this issue)
25. Reynolds V, Causey H, McKee J, Reinstein V, Muzyk A. The role of pharmacists in the opioid epidemic: an examination of pharmacist focused initiatives across the United States and North Carolina. *N C Med J.* 2017;78(3):202-205. (in this issue)
26. Moore AF, Kenworthy L. Disaster relief: a look into the pharmacists role. *N C Med J.* 2017;78(3):195-197. (in this issue)