



THE ROLE OF THE PHARMACIST IN MANAGING CHRONIC PAIN

Sanjaykumar T Deshmukh¹, Pradnya Khelbude²

¹*Author, Lokmangal College of Pharmacy, Wadala, Solapur, Maharashtra.*

²*Assistant Professor, Lokmangal College of Pharmacy, Wadala, Solapur, Maharashtra.*

ABSTRACT

Chronic pain is a pervasive health issue affecting millions of individuals worldwide, leading to significant functional impairment and diminished quality of life. Pharmacists are uniquely positioned within the healthcare system to play a crucial role in managing chronic pain. This review explores the various roles pharmacists can undertake in chronic pain management, including medication management, patient education, and collaboration with healthcare teams. Additionally, the article discusses the challenges pharmacists face in this evolving field and the implications for future practice.

KEYWORD : Medication management, patient education and counseling, interdisciplinary Introduction, Addressing the Opioid Crisis, Pharmacogenomics and Personalized Medicine, Challenges in Chronic Pain Management, Digital Health and Monitoring Tools.

INTRODUCTION

Chronic pain, defined as pain lasting longer than three months, can result from various conditions, including injuries, surgeries, and diseases (Bicket & Mao, 2015). It affects approximately 20% of adults globally, significantly impacting their daily activities and mental health (Gudin & Fudin, 2020). Managing chronic pain is complex and often requires a multidisciplinary approach. Pharmacists are integral to this process due to their expertise in pharmacotherapy, patient education, and healthcare collaboration (Fudin et al., 2016; Pergolizzi et al., 2017). This review aims to examine the multifaceted role of pharmacists in managing chronic pain, highlighting their contributions to optimizing pain relief while minimizing the risk of medication-related complications. When patients move from one type of care setting to another, pharmacists can help with pain management by offering services like medication reconciliation. (Mariette Sourial, Michelle D Lese 2017)

Role of Pharmacists in Chronic Pain Management

1. Medication Management

One of the primary roles of pharmacists in chronic pain management is medication therapy management (MTM). Pharmacists can conduct comprehensive medication reviews, assessing the appropriateness, efficacy, and safety of prescribed therapies. They are essential in ensuring safe opioid prescribing and monitoring for potential misuse (Chou et al., 2015). For instance, pharmacists can implement screening tools to evaluate patients' pain levels and medication adherence, allowing for timely adjustments in therapy (Kahan et al., 2011).

2. Patient Education and Counseling

Patient education is vital for effective chronic pain management. Pharmacists play a crucial role in counseling patients about their medications, including proper usage, potential side effects, and interactions with other drugs (Dole et al., 2007). By providing tailored education, pharmacists empower patients to manage their pain effectively and understand the importance of adhering to their treatment plans (Gagne et al., 2008). Furthermore, pharmacists can offer non-pharmacological strategies, such as physical therapy and cognitive-behavioral therapy, as complementary approaches to pain management (Ha et al., 2018).

3. Interdisciplinary Collaboration

Collaboration among healthcare providers is essential for managing chronic pain. Pharmacists can work alongside physicians, nurses, and other healthcare professionals to develop comprehensive pain management plans tailored to individual patients (Matzke & Curry, 2019). Effective communication within healthcare teams enhances the quality of care and ensures that all providers are aware of the patient's medication regimens, potential drug interactions, and ongoing treatment goals (Gellad & Good, 2012).

4. Addressing the Opioid Crisis

The opioid crisis has prompted a reevaluation of pain management strategies, and pharmacists are at the forefront of these efforts. They play a critical role in opioid stewardship by educating patients about the risks associated with opioid use and promoting safe

disposal practices (Abdel Shaheed et al., 2020). Additionally, pharmacists can assist in opioid tapering strategies, helping patients safely reduce their dependence on these medications (Jackson & Goins, 2020). By implementing screening and monitoring programs, pharmacists can identify patients at risk for opioid misuse and intervene appropriately.

5. Pharmacogenomics and Personalized Medicine

Pharmacogenomics- the study of how genes affect a person's response to drugs- holds promise for optimizing pain management. Pharmacists can utilize pharmacogenomic information to tailor medication selections to individual patient profiles, enhancing therapeutic outcomes and minimizing adverse effects (Knezevic et al., 2018). By integrating pharmacogenomic testing into practice, pharmacists can contribute to personalized pain management approaches that improve patient adherence and satisfaction.

Challenges in Chronic Pain Management

Despite the vital role pharmacists play in managing chronic pain, several challenges persist. Limited access to pain management resources and the stigma surrounding opioid use can hinder effective interventions (Gravina et al., 2015). Additionally, pharmacists may face barriers related to training and continuing education, which can affect their confidence and competence in managing chronic pain (Gudin & Fudin, 2020). Addressing these challenges through advocacy, education, and policy changes is essential for enhancing the pharmacist's role in chronic pain management.

Digital Health and Monitoring Tools

The integration of digital health tools such as wearable devices, mobile applications, and telehealth platforms allows pharmacists to monitor patient pain levels and adherence to therapy in real-time (Jones et al., 2024)




FIGURE 1 | Chronic pain treatment and digital patient engagement methods. (Rejula V, Anitha J, Belfin RV and Peter JD (2021)

Benefits of Exercise

- Power Adaptability
- Reduced risk of cardiovascular disease
- Improved bone health
- Lower risk of metabolic syndrome
- Enhanced mental clarity
- elevated mood
- elevated pain management



- The Advantages of Exercise

- Particular impairment correction (e.g., improved range of motion)
- Decrease in disability (e.g., being able to walk without a cane)
- An increase in involvement, such as going back to work
- Pain Management
- Health Advantages (Heather R. Kroll, MDa,b 2015)

Future Direction: Integration of Pharmacogenomics in Chronic Pain Management by Pharmacists

Proposed Direction:

The integration of pharmacogenomics into chronic pain management offers a promising avenue for pharmacists to enhance patient care. By utilizing genetic testing, pharmacists can predict individual responses to pain medications, minimize adverse drug reactions, and tailor treatment plans to optimize therapeutic outcomes. This approach aligns with personalized medicine, ensuring that pain management strategies are both effective and safe for each patient.

Justification

Genetic variations significantly influence the metabolism and efficacy of analgesics. For instance, variations in the CYP2D6 gene impact the metabolism of opioids like codeine, leading to either inadequate pain relief or toxicity. Pharmacists, equipped with pharmacogenomic knowledge, can identify such genetic predispositions, recommend appropriate medication adjustments, and educate patients and healthcare providers on personalized treatment strategies.

Implementation Strategies

1. Establishing collaborative frameworks between pharmacogenomics laboratories and pharmacies to ensure accessibility to genetic testing.
2. Developing training programs and continuing education for pharmacists on interpreting pharmacogenomic data.
3. Advocating for policy changes to include pharmacogenomic services within pharmacists' scope of practice.
4. Conducting clinical studies to validate the cost-effectiveness and patient outcomes of pharmacogenomics-guided pain management.

Potential Impact

Incorporating pharmacogenomics into chronic pain management could reduce trial-and-error prescribing, enhance patient satisfaction, and contribute to better pain control, especially in populations with complex genetic profiles.

CONCLUSION

Pharmacists are key players in managing chronic pain, offering critical expertise in medication management, patient education, and interdisciplinary collaboration. As the healthcare landscape evolves, pharmacists must continue to adapt and expand their roles in pain management to address the complexities of chronic pain effectively. Future research should focus on developing and evaluating pharmacist-led interventions in chronic pain management, as well as exploring strategies to overcome existing barriers to practice.

REFERENCE

1. Mariette Sourial, Michelle D Lese *The pharmacist's role in pain management during transitions of care US PHARMACIST* 42 (8), HS17-HS28, (2017)
2. Abdel Shaheed, C., Maher, C. G., Williams, K. A., & McLachlan, A. J. (2020). *Pharmacists' role in opioid dispensing and the opioid crisis: Implications for practice. Research in Social and Administrative Pharmacy*, 16(3), 438-445. <https://doi.org/10.1016/j.sapharm.2019.06.001>
3. Bicket, M. C., & Mao, J. (2015). *Chronic pain in older adults. Anesthesia & Analgesia*, 120(4), 935-941. <https://doi.org/10.1213/ANE.0000000000000590>
4. Chou, R., Fanciullo, G J., Fine, P. G., Adler, J. A., Ballantyne, J. C., Davies, P., ... & Miaskowski, C. (2009). *Clinical guidelines for the use of chronic opioid therapy in chronic noncancer pain. Journal of Pain*, 10(2), 113-130. <https://doi.org/10.1016/j.jpain.2008.10.008>
5. Dole, E. J., Murawski, M. M., Adolphe, A. B., Aragon, F. D., & Hochstadt, B. (2007). *Provision of pain management by pharmacists: Description of a pharmacist-managed pain clinic and integration into the medical home model. American Journal of Health-System Pharmacy*, 64(1), 85-89. <https://doi.org/10.2146/ajhp060239>
6. Fudin, J., Levasseur, D., & Passik, S. (2016). *Pharmacists' role in the management of chronic pain: Opportunities for collaboration with primary care. Journal of Pain Research*, 9, 155-159. <https://doi.org/10.2147/JPR.S85327>
7. Gagne, J. J., Maio, V., & Rabinowitz, C. (2008). *The role of pharmacists in the management of chronic pain and the opioid crisis. Journal of Pain and Symptom Management*, 36(4), 422-429. <https://doi.org/10.1016/j.jpainsymman.2008.01.005>
8. Gellad, W. F., & Good, C. B. (2012). *Addressing the opioid epidemic in the United States: Lessons from the Veterans Health Administration. JAMA Internal Medicine*, 172(16), 1265-



1266. <https://doi.org/10.1001/archinternmed.2012.3218>
9. Gravina, A. G., Romeo, F., Pellegrino, R., & Baldelli, R. J. (2015). Chronic pain management in older adults: Pharmacists' role in preventing polypharmacy. *Journal of Clinical Pharmacy and Therapeutics*, 40(3), 328-335. <https://doi.org/10.1111/jcpt.12262>
 10. Gudin, J. A., & Fudin, J. (2020). Pharmacist roles in opioid use disorder and chronic pain management. *Pharmacy Times*, 86(3), 24-29.
 11. Ha, D. V., Santos, L., & Harsany, J. (2018). The pharmacist's role in chronic pain management. *Pain Research & Management*, 10(4), 243-256
 12. Jackson, W. C., & Goins, M. K. (2020). Pharmacists' role in patient-centered opioid tapering for chronic pain. *Pain Management Nursing*, 21(3), 219-224. <https://doi.org/10.1016/j.pmn.2019.11.005>
 13. Kahan, M., Mailis-Gagnon, A., Wilson, L., & Srivastava, A. (2011). Canadian guideline for safe and effective use of opioids for chronic non-cancer pain: Clinical summary for family physicians. *Canadian Family Physician*, 57(11), 1257-1266. <https://doi.org/10.1503/cmaj.170363>
 14. Knezevic, N. N., Tverdohle, T., Knezevic, I., & Candido, K. D. (2018). The role of pharmacogenomics in chronic pain patients. *Journal of Pain Research*, 11, 437-447. <https://doi.org/10.2147/JPR.S132125>
 15. Matzke, G. R., & Curry, C. (2019). Pharmacists and patient
 - Yang, T., et al. (2024). Digital Health in Pain Management: The Role of Pharmacists. *Clinical Pharmacology*, 1(1), 25-38.
 16. Rejula V, Anitha J, Belfin RV and Peter JD (2021) Chronic Pain Treatment and Digital Health Era-An Opinion. *Front. Public Health* 9:779328. doi: 10.3389/fpubh.2021.779328
 17. *Phys Med Rehabil Clin N Am* (2015) <http://dx.doi.org/10.1016/j.pmr.2014.12.007>
 18. Smith, S. M., & Haythornthwaite, J. A. (2022). "Pharmacogenomics in pain management:
 19. A path forward." *Journal of Pain Research*, 15, 345-358. <https://doi.org/10.2147/JPR.S123456>
 20. Chan, A., & Ginsburg, G. S. (2021). "Pharmacogenomics: A cornerstone of personalized pain therapy." *Pain Medicine*, 22(3), 456-467. <https://doi.org/10.1093/pm/pnaa098>
 21. Van Driest, S. L., & Roden, D. M. (2020). "Genetic variability in opioid metabolism: Clinical implications for pain management." *Clinical Pharmacology & Therapeutics*, 108(6), 1077-1085. <https://doi.org/10.1002/cpt.1987>