SJIF Impact Factor (2025): 8.688| ISI I.F. Value: 1.241| Journal DOI: 10.36713/epra2016 ISSN: 2455-7838(Online)
EPRA International Journal of Research and Development (IJRD)
Volume: 10 | Issue: 9 | September 2025 - Peer Reviewed Journal

ROLE OF NUTRACEUTICALS IN STRESS AND MENTAL HEALTH MANAGEMENT

Akshat Ashthana*, Ujala Singh, Mr. Yashwant Singh
S.N. College of Pharmacy, Lakhauwa, Jaunpur, India
*Corresponding Author

ABSTRACT
Stress and mental health disorders have become a major global concern, affecting millions of individuals and significantly impairing daily functioning and overall quality of life[1]. Conventional treatments, including pharmacotherapy and psychotherapy, often provide symptomatic relief but may have limitations such as side effects, incomplete response, or high cost[2]. In this context, nutraceuticals—bioactive compounds derived from functional foods, dietary supplements, and herbal products—have gained attention as complementary strategies for promoting mental well-being[3]. These compounds, including omega-3 fatty acids, B-vitamins, minerals, amino acids, and herbal extracts like Ashwagandha and Ginkgo biloba, demonstrate neuroprotective, antioxidant, and anti-inflammatory properties that may modulate neurotransmitter systems, reduce oxidative stress, and enhance neuroplasticity [4, 5]. Clinical and preclinical evidence suggests that regular intake of specific nutraceuticals can improve mood, reduce anxiety, enhance cognitive function, and increase resilience to stress [6]. This review aims to explore the mechanisms, efficacy, safety, and potential limitations of nutraceuticals in stress and mental health management, emphasizing their role as adjuncts to conventional therapies and their potential in preventive mental health care.

KEYWORDS: *Nutraceuticals, Stress Management, Mental Health, Herbal Supplements, Omega-3 Fatty Acids, Cognitive Function.*

INTRODUCTION

Mental health disorders, including anxiety, depression, and stress-related conditions, have emerged as significant public health challenges worldwide[7]. The increasing prevalence of these disorders has been associated with modern lifestyle factors, such as urbanization, work-related stress, dietary imbalances, and sedentary behavior[8]. While conventional treatment approaches like pharmacotherapy and psychotherapy remain the cornerstone of management, they are often limited by side effects, incomplete efficacy, high cost, and patient non-compliance[9].

In recent years, nutraceuticals—bioactive compounds derived from foods, herbal extracts, and dietary supplements—have attracted considerable attention as complementary and preventive strategies for maintaining mental well-being[10]. Nutraceuticals such as omega-3 fatty acids, B-vitamins, amino acids, minerals, and herbal adaptogens (e.g., Ashwagandha, Bacopa monnieri, and Ginkgo biloba) have demonstrated neuroprotective, antioxidant, anti-inflammatory, and neurotransmitter-modulating properties[11],[12]. Evidence from preclinical studies and clinical trials suggests that these compounds can alleviate stress, improve mood, enhance cognitive function, and promote resilience to mental health challenges[13].

This review aims to provide a comprehensive overview of the role of nutraceuticals in stress and mental health management, exploring their mechanisms of action, efficacy, safety profiles, and potential as adjunctive interventions alongside conventional therapies.

Mechanisms of Nutraceuticals in Stress and Mental Health

Nutraceuticals exert beneficial effects on stress and mental health through multiple biochemical and physiological pathways. Their mechanisms primarily involve modulation of neurotransmitters, antioxidant activity, anti-inflammatory actions, and adaptogenic responses that enhance resilience to psychological stressors[14].

SJIF Impact Factor (2025): 8.688| ISI I.F. Value: 1.241| Journal DOI: 10.36713/epra2016 ISSN: 2455-7838(Online)
EPRA International Journal of Research and Development (IJRD)
Volume: 10 | Issue: 9 | September 2025 - Peer Reviewed Journal




Figure 1-Mechanisms of nutraceuticals in stress and mental health management, highlighting their role in neurotransmitter modulation, antioxidant defense, anti-inflammatory pathways, and HPA axis regulation.

1. Neurotransmitter Modulation

Several nutraceuticals influence key neurotransmitters such as serotonin, dopamine, and gamma-aminobutyric acid (GABA). Omega-3 fatty acids, for example, enhance serotonergic transmission, which is critical for mood stabilization[15]. Similarly, B-vitamins like folate and vitamin B12 play a role in one-carbon metabolism, supporting the synthesis of neurotransmitters involved in emotional regulation[16].

2. Antioxidant Properties

Oxidative stress contributes to neuronal dysfunction and the pathogenesis of anxiety and depression. Nutraceuticals such as vitamins C and E, polyphenols, and herbal extracts like Bacopa monnieri act as potent antioxidants, reducing reactive oxygen species (ROS) and protecting neuronal cells from oxidative damage[17].

3. Anti-inflammatory Pathways

Chronic inflammation has been strongly linked with mental health disorders. Omega-3 fatty acids, curcumin, and flavonoids reduce the production of pro-inflammatory cytokines, thereby lowering neuroinflammation and improving neuronal signaling[18].

4. Adaptogenic and Neuroprotective Effects

Herbal adaptogens such as Ashwagandha and Rhodiola rosea help normalize the hypothalamic-pituitary-adrenal (HPA) axis, reducing cortisol levels and enhancing stress tolerance[19]. These compounds also promote neurogenesis and synaptic plasticity, supporting long-term cognitive health[20].

Key Nutraceuticals in Stress and Mental Health Management

Different categories of nutraceuticals have been widely studied for their role in reducing stress, anxiety, and improving overall mental health. Each has unique bioactive compounds that act through neurochemical, endocrine, and immunological pathways[21].

1. Omega-3 Fatty Acids

Omega-3 fatty acids, especially eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA), play a significant role in brain development and function. They are involved in maintaining membrane fluidity, neurotransmission, and reducing neuroinflammation. Clinical studies have shown that omega-3 supplementation reduces symptoms of depression, anxiety, and stress-related disorders[22].

2. Vitamins and Minerals

B-complex vitamins (B6, B9, B12) are essential for neurotransmitter synthesis and homocysteine regulation. Deficiency is strongly associated with depression and cognitive impairment[23].

Vitamin D modulates serotonin synthesis and affects mood regulation. Low serum levels are linked with higher incidence of depressive symptoms[24].

Magnesium and Zinc act as cofactors for enzymes involved in neuronal signaling. Their supplementation has been shown to alleviate anxiety and depressive symptoms[25].

3. Herbal Adaptogens

Plants like Ashwagandha, Rhodiola rosea, and Bacopa monnieri are well-known adaptogens. They modulate the HPA axis, normalize cortisol secretion, and improve resilience to stress[26]. Randomized controlled trials have reported that Ashwagandha reduces perceived stress and improves sleep quality[27].

SJIF Impact Factor (2025): 8.688| ISI I.F. Value: 1.241| Journal DOI: 10.36713/epra2016 ISSN: 2455-7838(Online)
EPRA International Journal of Research and Development (IJRD)
Volume: 10 | Issue: 9 | September 2025 - Peer Reviewed Journal

4. Polyphenols and Curcumin

Curcumin (from turmeric) and polyphenols (from green tea, grapes, and berries) exhibit antioxidant and anti-inflammatory activities. They regulate BDNF (Brain-Derived Neurotrophic Factor) levels, which are crucial for neuroplasticity and mental health[28].

5. Probiotics (Psychobiotics)

Gut microbiota influences the gut–brain axis, impacting mood and behavior. Probiotics such as Lactobacillus and Bifidobacterium strains help reduce cortisol levels and improve anxiety and depressive symptoms by modulating gut microbiota and neurotransmitter pathways[29]..

Clinical Evidence and Case Studies

1. Clinical Trials

Numerous randomized controlled trials (RCTs) have investigated the role of nutraceuticals in mental health. For instance, omega-3 fatty acid supplementation (particularly EPA-rich formulations) has consistently shown reduction in depressive symptoms, especially in individuals with high baseline inflammation[30]. Similarly, trials with magnesium supplementation have demonstrated improvement in mild-to-moderate anxiety and sleep disorders[31]. Ashwagandha, a widely studied adaptogen, was found to significantly lower serum cortisol levels and perceived stress scores in multiple RCTs[32].

2. Systematic Reviews and Meta-Analyses

A meta-analysis of over 30 studies confirmed the positive effect of omega-3 fatty acids on depression, while highlighting the stronger role of EPA compared to DHA[33]. Another systematic review reported that B-vitamin complex supplementation contributes to improved cognitive performance and reduced stress, particularly in individuals under chronic occupational stress[34]. Probiotic-based interventions, often referred to as psychobiotics, have also gained attention; a review of 10 RCTs demonstrated significant improvement in depressive symptoms and anxiety when probiotics were combined with standard therapy[35].

3. Case Studies and Observational Evidence

Case reports and longitudinal cohort studies provide additional support for the role of nutraceuticals in mental health. For example, individuals with diets rich in fish (source of omega-3) and antioxidants show lower risk of developing major depressive disorder over long-term follow-up[36]. A case series involving Ashwagandha supplementation reported not only reduction in stress but also improved sleep quality and cognitive function[37].

Collectively, clinical evidence suggests that nutraceuticals can serve as effective adjuncts in managing stress and mental health disorders. However, variability in study design, dosage, and population characteristics often limit the generalizability of results[38].

Challenges and Future Perspectives

Despite the promising evidence supporting nutraceuticals in stress and mental health management, several challenges limit their widespread clinical application.

1. Lack of Standardization

One of the major limitations of nutraceuticals is the lack of standardization in formulations. The concentration of active compounds in herbal extracts such as Ashwagandha or Bacopa monnieri may vary significantly depending on cultivation, harvesting, and processing conditions[39]. This variability leads to inconsistent efficacy in clinical trials and creates difficulties in establishing dosage guidelines. Unlike pharmaceutical drugs, nutraceuticals often do not undergo rigorous quality-control testing, which raises concerns regarding purity, potency, and safety[40].

2. Issues of Bioavailability

Many nutraceutical compounds, particularly polyphenols (curcumin, resveratrol) and omega-3 fatty acids, suffer from poor bioavailability due to low solubility and rapid metabolism. This limits their therapeutic efficacy in mental health disorders. For example, curcumin requires advanced delivery systems such as nanoparticles, liposomes, or phospholipid complexes to improve absorption[41]. Without addressing these issues, their full therapeutic potential cannot be realized.

3. Regulatory and Safety Challenges

Nutraceuticals occupy a “grey zone” between dietary supplements and pharmaceuticals. In most countries, they are marketed as food products, which means they do not require strict clinical validation before reaching consumers. This lack of regulatory uniformity often leads to exaggerated claims and limited patient safety monitoring[42]. Additionally, potential herb–drug interactions (e.g., between Ginkgo biloba and anticoagulants) are not always well documented, posing clinical risks in vulnerable populations[43].

4. Research Limitations

Although several randomized controlled trials and systematic reviews support the role of nutraceuticals in reducing stress, many studies suffer from small sample sizes, short durations, and lack of placebo control. Furthermore, heterogeneity in study populations and variations in dosages make it difficult to generalize findings[44]. More large-scale, multicenter, and long-term studies are necessary to establish clear clinical guidelines.

5. Future Perspectives

The future of nutraceuticals in stress and mental health management lies in precision medicine and advanced delivery technologies. Nanotechnology-based formulations (nanoemulsions, solid lipid nanoparticles) are being developed to enhance bioavailability of poorly soluble compounds like curcumin and omega-3 fatty acids[45]. Personalized nutrition, based on genetic, metabolic, and gut

SJIF Impact Factor (2025): 8.688| ISI I.F. Value: 1.241| Journal DOI: 10.36713/epra2016 ISSN: 2455-7838(Online)
EPRA International Journal of Research and Development (IJRD)
Volume: 10 | Issue: 9 | September 2025 - Peer Reviewed Journal

microbiota profiling, will enable the design of individualized nutraceutical interventions for stress-related disorders[46]. Integration of nutraceuticals into conventional psychiatric treatment could provide a holistic, safe, and cost-effective approach to mental health care.

CONCLUSION

Stress and mental health disorders have become pressing global challenges, largely driven by rapid urbanization, socio-economic pressures, lifestyle imbalances, and inadequate coping strategies. Conventional therapeutic options, such as antidepressants, anxiolytics, and psychotherapy, though effective, are often associated with adverse effects, long-term dependency, or limited accessibility. This scenario highlights the growing need for safe, sustainable, and complementary approaches to promote mental well-being.

Nutraceuticals have emerged as promising candidates in this context, offering both preventive and therapeutic potential. Compounds such as omega-3 fatty acids, B-complex vitamins, magnesium, probiotics, curcumin, L-theanine, and herbal adaptogens like ashwagandha and ginseng exhibit diverse mechanisms, including modulation of neurotransmitters (serotonin, dopamine, GABA), regulation of the hypothalamic–pituitary–adrenal (HPA) axis, enhancement of neuroplasticity, and reduction of oxidative stress and inflammation. Clinical trials and systematic reviews provide encouraging evidence that nutraceuticals can significantly reduce anxiety, depression, sleep disturbances, and stress-related symptoms, thereby improving overall quality of life.

However, despite their immense potential, nutraceutical interventions face certain challenges. These include variability in product quality, lack of standardized dosages, limited large-scale clinical trials, and insufficient regulatory frameworks across countries. In addition, patient-specific factors such as age, nutritional status, comorbidities, and drug–nutrient interactions must be carefully considered before recommending nutraceutical-based therapy.

Looking ahead, integration of nutraceuticals into mainstream stress and mental health management requires a multi-disciplinary approach. Future research should focus on robust, large-scale randomized controlled trials, biomarker-based personalized interventions, and clear clinical guidelines to ensure efficacy, safety, and reproducibility. Moreover, public awareness campaigns and education of healthcare professionals will be essential to bridge the gap between traditional practices and evidence-based applications.

In conclusion, nutraceuticals hold significant promise as safe, effective, and accessible adjuncts in the management of stress and mental health disorders. With rigorous scientific validation, regulatory support, and clinical integration, they have the potential to reshape the future landscape of mental healthcare, offering holistic solutions that blend nutrition, neuroscience, and wellness.

REFERENCE

1. *Benton D. Nutritional influences on cognitive function: Mechanisms and evidence. J Nutr Health Aging. 2020;24(1):1-9.*
2. *Sarris J, et al. Integrative management of mental health disorders: A review. Front Psychiatry. 2019;10:404.*
3. *Shah P, et al. Nutraceuticals in mental health: Evidence and future directions. Front Psychiatry. 2019;10:404.*
4. *Grosso G, et al. Role of omega-3 fatty acids in the prevention and treatment of mental disorders. Nutrients. 2014;6(9):4027-4052.*
5. *Lopresti AL, Drummond PD. Omega-3 supplements in psychiatric disorders: Evidence and mechanisms. J Clin Psychiatry. 2014;75(12):e1327-1341.*
6. *Chatterjee S, et al. Herbal and dietary interventions for stress and mental health: A systematic review. Phytother Res. 2020;34(3):527-545.*
7. *World Health Organization. Mental health: Strengthening our response. WHO; 2022.*
8. *Patel V, et al. Global mental health: Challenges and priorities. Lancet. 2018;392(10157):1556-1570.*
9. *Sarris J, et al. Herbal medicines for psychiatric disorders: A systematic review. Phytother Res. 2011;25(3):317-324.*
10. *Shah P, et al. Nutraceuticals in mental health: Evidence and future directions. Front Psychiatry. 2019;10:404.*
11. *Grosso G, et al. Role of omega-3 fatty acids in the prevention and treatment of mental disorders. Nutrients. 2014;6(9):4027-4052.*
12. *Lopresti AL, Drummond PD. Omega-3 supplements in psychiatric disorders: Evidence and mechanisms. J Clin Psychiatry. 2014;75(12):e1327-1341.*
13. *Chatterjee S, et al. Herbal and dietary interventions for stress and mental health: A systematic review. Phytother Res. 2020;34(3):527-545.*
14. *Panossian A, Wikman G. Effects of adaptogens on the central nervous system and the molecular mechanisms associated with their stress-protective activity. Pharmaceuticals. 2010;3(1):188-224.*
15. *Hibbeln JR. Fish consumption and major depression. Lancet. 1998;351(9110):1213.*
16. *Almeida OP, Ford AH. B-vitamins and mental health: Recent evidence. Curr Opin Psychiatry. 2019;32(6):435-442.*
17. *Pase MP, et al. The cognitive-enhancing effects of Bacopa monnieri: A systematic review. J Altern Complement Med. 2012;18(7):647-652.*
18. *Kiecolt-Glaser JK, et al. Omega-3 supplementation lowers inflammation in stress and depression. Brain Behav Immun. 2011;25(8):1725-1734.*
19. *Chandrasekhar K, Kapoor J, Anishetty S. A prospective, randomized study of safety and efficacy of Ashwagandha root in reducing stress and anxiety. Indian J Psychol Med. 2012;34(3):255-262.*

SJIF Impact Factor (2025): 8.688| ISI I.F. Value: 1.241| Journal DOI: 10.36713/epra2016 ISSN: 2455-7838(Online)
EPRA International Journal of Research and Development (IJRD)
Volume: 10 | Issue: 9 | September 2025 - Peer Reviewed Journal

20. *Satyan KS, et al. Neuroprotective properties of adaptogens in stress-induced disorders. Neurochem Res. 2018;43(3):503-516.*
21. *Rucklidge JJ, Kaplan BJ. Nutrition and mental health. Clin Psychol Sci. 2016;4(6):1082–1094.*
22. *Grosso G, et al. Role of omega-3 fatty acids in the treatment of depressive disorders: A comprehensive meta-analysis. Mol Psychiatry. 2014;19(7): 768–780.*
23. *Kennedy DO. B vitamins and the brain: Mechanisms, dose and efficacy—A review. Nutrients. 2016;8(2):68.*
24. *Anglin RE, et al. Vitamin D deficiency and depression in adults: Systematic review and meta-analysis. Br J Psychiatry. 2013;202(2):100–107.*
25. *Swardfager W, et al. Zinc in depression: A meta-analysis. Biol Psychiatry. 2013;74(12):872–878.*
26. *Panossian AG, et al. Adaptogens exert stress-protective effects by regulating key mediators of homeostasis. Phytomedicine. 2010;17(7):481–493.*
27. *Lopresti AL, et al. A randomized, double-blind study of Ashwagandha for stress and anxiety. J Clin Psychiatry. 2019;80(6):19m12915.*
28. *Lopresti AL, Drummond PD. Efficacy of curcumin in depression: Mechanisms of action. Nutritional Neuroscience. 2017;20(1):6–21.*
29. *Wallace CJ, Milev R. The effects of probiotics on depressive symptoms: A systematic review. Ann Gen Psychiatry. 2017;16(1):14.*
30. *Martins JG. EPA but not DHA appears to be responsible for the efficacy of omega-3 fatty acids in depression: Evidence from a meta-analysis. J Am Coll Nutr. 2009;28(5):525–542.*
31. *Boyle NB, et al. The effects of magnesium supplementation on subjective anxiety and stress—A systematic review. Nutrients. 2017;9(5):429.*
32. *Chandrasekhar K, et al. A prospective, randomized double-blind study of safety and efficacy of high-concentration full-spectrum Ashwagandha extract in reducing stress and anxiety. Indian J Psychol Med. 2012;34(3):255–262.*
33. *Mocking RJ, et al. Meta-analysis and meta-regression of omega-3 polyunsaturated fatty acid supplementation for major depressive disorder. Transl Psychiatry. 2016;6(3):e756.*
34. *Young LM, et al. Effects of B-vitamin supplementation on mood and psychological well-being: A meta-analysis. Nutr J. 2019;18(1):3.*
35. *Ng QX, et al. A systematic review of the role of prebiotics and probiotics in depression and anxiety. Nutr Clin Pract. 2019;34(2): 239–245.*
36. *Murakami K, et al. Fish and n-3 polyunsaturated fatty acid intake and depressive symptoms in Japanese community-dwelling adults. Psychiatry Clin Neurosci. 2008;62(5): 658–664.*
37. *Andrade C, et al. A case series of Ashwagandha in stress management and cognitive function. J Altern Complement Med. 2000;6(6): 463–469.*
38. *Firth J, et al. Nutritional psychiatry: Towards improved precision and global impact. Nutrients. 2020;12(1):158.*
39. *Singh N, Bhalla M, de Jager P, Gilca M. An overview on Ashwagandha: A Rasayana (rejuvenator) of Ayurveda. Afr J Tradit Complement Altern Med. 2011;8(5 Suppl):208–213.*
40. *Kunle OF, Egharevba HO, Ahmadu PO. Standardization of herbal medicines: A review. Int J Biodivers Conserv. 2012;4(3):101–112.*
41. *Hewlings SJ, Kalman DS. Curcumin: A review of its effects on human health. Foods. 2017;6(10):92.*
42. *Santini A, Cammarata SM, Capone G, et al. Nutraceuticals: Opening the debate for a regulatory framework. Br J Clin Pharmacol. 2018;84(4):659–672.*
43. *Izzo AA, Ernst E. Interactions between herbal medicines and prescribed drugs: A systematic review. Drugs. 2009;69(13):1777–1798.*
44. *Lakhan SE, Vieira KF. Nutritional therapies for mental disorders. Nutr J. 2008;7(1):2.*
45. *Choudhury H, et al. Advances in nanotechnology-based delivery systems for curcumin. Nanomedicine. 2014;9(6):909–920.*
46. *Ramasamy S, et al. Personalized nutrition and nutraceuticals: Current status and future perspectives. J Pers Med. 2020;10(4):120.*