



Chief Editor

Dr. A. Singaraj, M.A., M.Phil., Ph.D.

Editor

Mrs.M.Josephin Immaculate Ruba

Editorial Advisors

1. Dr.Yi-Lin Yu, Ph. D
Associate Professor,
Department of Advertising & Public Relations,
Fu Jen Catholic University,
Taipei, Taiwan.
2. Dr.G. Badri Narayanan, PhD,
Research Economist,
Center for Global Trade Analysis,
Purdue University,
West Lafayette,
Indiana, USA.
3. Dr. Gajendra Naidu.J., M.Com, LL.M., M.B.A., PhD. MHRM
Professor & Head,
Faculty of Finance, Botho University,
Gaborone Campus, Botho Education Park,
Kgale, Gaborone, Botswana.
4. Dr. Ahmed Sebihi
Associate Professor
Islamic Culture and Social Sciences (ICSS),
Department of General Education (DGE),
Gulf Medical University (GMU), UAE.
5. Dr. Pradeep Kumar Choudhury,
Assistant Professor,
Institute for Studies in Industrial Development,
An ICSSR Research Institute,
New Delhi- 110070.India.
6. Dr. Sumita Bharat Goyal
Assistant Professor,
Department of Commerce,
Central University of Rajasthan,
Bandar Sindri, Dist-Ajmer,
Rajasthan, India
7. Dr. C. Muniyandi, M.Sc., M. Phil., Ph. D,
Assistant Professor,
Department of Econometrics,
School of Economics,
Madurai Kamaraj University,
Madurai-625021, Tamil Nadu, India.
8. Dr. B. Ravi Kumar,
Assistant Professor
Department of GBEH,
Sree Vidyanikethan Engineering College,
A.Rangampet, Tirupati,
Andhra Pradesh, India
9. Dr. Gyanendra Awasthi, M.Sc., Ph.D., NET
Associate Professor & HOD
Department of Biochemistry,
Dolphin (PG) Institute of Biomedical & Natural Sciences,
Dehradun, Uttarakhand, India.
10. Dr. D.K. Awasthi, M.SC., Ph.D.
Associate Professor
Department of Chemistry, Sri J.N.P.G. College,
Charbagh, Lucknow,
Uttar Pradesh. India

ISSN (Online) : 2455 - 3662

SJIF Impact Factor :5.148

EPRA International Journal of Multidisciplinary Research

Monthly Peer Reviewed & Indexed
International Online Journal

Volume: 5 Issue: 1 January 2019



Published By :EPRA Publishing

CC License





ON THE PELL-LIKE EQUATION

$$3x^2 - 8y^2 = 40$$

M.A.Gopalan¹

¹ Professor, Department of Mathematics,
SIGC, Trichy-620002,
Tamilnadu, India.

Sharadha Kumar²

² M.Phil Scholar,
Dept. of Mathematics,
SIGC, Trichy-620002,
Tamilnadu, India

ABSTRACT

The hyperbola represented by the binary quadratic equation $3x^2 - 8y^2 = 40$ is analyzed for finding its non-zero distinct integer solutions. A few interesting relations among its solutions are presented. Also, knowing an integral solution of the given hyperbola, integer solutions for other choices of hyperbolas and parabolas are presented.

KEYWORDS: *Binary quadratic, Hyperbola, Parabola, Integral solutions, Pell equation.*

2010 Mathematics subject classification: 11D09

1. NOTATION

$t_{m,n} = n \left[1 + \frac{(n-1)(m-2)}{2} \right]$ - Polygonal number of rank n with sides m

2. INTRODUCTION

The binary quadratic Diophantine equations of the form $ax^2 - by^2 = N, (a, b, N \neq 0)$ are rich in variety and have been analyzed by many mathematicians for their respective integer solutions for particular values of a, b and N . In this context, one may refer [1-13].

This communication concerns with the problem of obtaining non-zero distinct integer solutions to the binary quadratic equation given by $3x^2 - 8y^2 = 40$ representing hyperbola. A few interesting relations among its solutions are presented. Knowing an integral solution of the given hyperbola, integer solutions for other choices of hyperbolas and parabolas are presented.

3. METHOD OF ANALYSIS

The binary quadratic equation representing hyperbola is given by

$$3x^2 - 8y^2 = 40 \quad (1)$$

$$\text{Taking } x = X + 8T, y = X + 3T \quad (2)$$

in (1), it simplifies to the equation

$$X^2 = 24T^2 - 8 \quad (3)$$

The smallest positive integer solution (T_0, X_0) of (3) is

$$T_0 = 1, X_0 = 4$$

To obtain, the other solutions of (3), consider the pellian equation

$$X^2 = 24T^2 + 1 \quad (4)$$

whose smallest positive integer solution is

$$\tilde{T}_0 = 1, \tilde{X}_0 = 5$$

The general solution $(\tilde{T}_n, \tilde{X}_n)$ of (4) is given by

$$\tilde{X}_n + \sqrt{24}\tilde{T}_n = (5 + \sqrt{24})^{n+1}, n = 0, 1, 2, \dots \quad (5)$$

Since, irrational roots occur in pairs, we have

$$\tilde{X}_n - \sqrt{24}\tilde{T}_n = (5 - \sqrt{24})^{n+1}, n = 0,1,2,\dots \tag{6}$$

From (5) and (6), solving for \tilde{X}_n, \tilde{T}_n , we have

$$\tilde{X}_n = \frac{1}{2} \left[(5 + \sqrt{24})^{n+1} + (5 - \sqrt{24})^{n+1} \right] = \frac{1}{2} f_n$$

$$\tilde{T}_n = \frac{1}{2\sqrt{24}} \left[(5 + \sqrt{24})^{n+1} - (5 - \sqrt{24})^{n+1} \right] = \frac{1}{2\sqrt{24}} g_n$$

Applying Brahmagupta lemma between the solutions (T_0, X_0) and $(\tilde{T}_n, \tilde{X}_n)$, the general solution (T_{n+1}, X_{n+1}) of (3) is found to be

$$T_{n+1} = X_0 \tilde{T}_n + T_0 \tilde{X}_n$$

$$X_{n+1} = X_0 \tilde{X}_n + 24T_0 \tilde{T}_n$$

$$\Rightarrow T_{n+1} = \frac{2}{\sqrt{24}} g_n + \frac{1}{2} f_n \tag{7}$$

$$X_{n+1} = 2f_n + \frac{\sqrt{24}}{2} g_n \tag{8}$$

Using (7) and (8) in (2) we have

$$x_{n+1} = X_{n+1} + 8T_{n+1} = 6f_n + \frac{28}{\sqrt{24}} g_n \tag{9}$$

$$y_{n+1} = X_{n+1} + 3T_{n+1} = \frac{7}{2} f_n + \frac{18}{\sqrt{24}} g_n \tag{10}$$

Thus, (9) and (10) represent the integer solutions of the hyperbola (1).

A few numerical examples are given in the following table 1

Table 1: Examples

n	x_{n+1}	y_{n+1}
-1	12	7
0	116	71
1	1148	703
2	11364	6959

In the above table x - values are even and y - values are odd

Recurrence relations for x and y are:

$$x_{n+3} - 10x_{n+2} + x_{n+1} = 0, n = -1, 0, 1, \dots$$

$$y_{n+3} - 10y_{n+2} + y_{n+1} = 0, n = -1, 0, 1, \dots$$

A few interesting relations among the solutions are given below:

1. $8y_{n+1} + 5x_{n+1} - x_{n+2} = 0$
2. $8y_{n+3} + 5x_{n+1} - 49x_{n+2} = 0$
3. $8y_{n+2} + x_{n+1} - 5x_{n+2} = 0$
4. $80y_{n+1} + 49x_{n+1} - x_{n+3} = 0$
5. $16y_{n+2} + x_{n+1} - x_{n+3} = 0$
6. $80y_{n+3} + x_{n+1} - 49x_{n+3} = 0$
7. $y_{n+2} - 3x_{n+1} - 5y_{n+1} = 0$
8. $y_{n+3} - 30x_{n+1} - 49y_{n+1} = 0$
9. $5y_{n+3} - 49x_{n+1} - 49y_{n+2} = 0$
10. $8y_{n+1} + 49x_{n+2} - 5x_{n+3} = 0$
11. $8y_{n+2} + 5x_{n+2} - x_{n+3} = 0$

$$12. 8y_{n+3} + x_{n+2} - 5x_{n+3} = 0$$

$$13. 5y_{n+2} - 3x_{n+2} - y_{n+1} = 0$$

$$14. y_{n+3} - 6x_{n+2} + y_{n+1} = 0$$

$$15. y_{n+3} - 3x_{n+2} - 5y_{n+2} = 0$$

$$16. 49y_{n+2} - 3x_{n+3} - 5y_{n+1} = 0$$

$$17. 49y_{n+3} - 30x_{n+3} - y_{n+1} = 0$$

$$18. 5y_{n+3} - 3x_{n+3} - y_{n+2} = 0$$

19. Each of the following expressions represents a cubical integer.

$$i. \frac{1}{120} [(426x_{3n+3} - 42x_{3n+4}) + 3(426x_{n+1} - 42x_{n+2})]$$

$$ii. \frac{1}{1200} [(4218x_{3n+3} - 42x_{3n+5}) + 3(4218x_{n+1} - 42x_{n+3})]$$

$$iii. \frac{1}{150} [(522x_{3n+3} - 84y_{3n+4}) + 3(522x_{n+1} - 84y_{n+2})]$$

$$iv. \frac{1}{30} [(54x_{3n+3} - 84y_{3n+3}) + 3(54x_{n+1} - 84y_{n+1})]$$

$$v. \frac{1}{1470} [(5166x_{3n+3} - 84y_{3n+5}) + 3(5166x_{n+1} - 84y_{n+3})]$$

$$vi. \frac{1}{120} [(4218x_{3n+4} - 426x_{3n+5}) + 3(4218x_{n+2} - 426x_{n+3})]$$

$$vii. \frac{1}{150} [(54x_{3n+4} - 852y_{3n+3}) + 3(54x_{n+2} - 852y_{n+1})]$$

$$viii. \frac{1}{30} [(522x_{3n+4} - 852y_{3n+4}) + 3(522x_{n+2} - 852y_{n+2})]$$

$$ix. \frac{1}{150} [(5166x_{3n+4} - 852y_{3n+5}) + 3(5166x_{n+2} - 852y_{n+3})]$$

$$x. \frac{1}{1470} [(54x_{3n+5} - 8436y_{3n+3}) + 3(54x_{n+3} - 8436y_{n+1})]$$

$$xi. \frac{1}{150} [(522x_{3n+5} - 8436y_{3n+4}) + 3(522x_{n+3} - 8436y_{n+2})]$$

- xii. $\frac{1}{30} [(5166x_{3n+5} - 8436y_{3n+5}) + 3(5166x_{n+3} - 8436y_{n+3})]$
- xiii. $\frac{1}{180} [(108y_{3n+4} - 1044y_{3n+3}) + 3(108y_{n+2} - 1044y_{n+1})]$
- xiv. $\frac{1}{1800} [(108y_{3n+5} - 10332y_{3n+3}) + 3(108y_{n+3} - 10332y_{n+1})]$
- xv. $\frac{1}{180} [(1044y_{3n+5} - 10332y_{3n+4}) + 3(1044y_{n+3} - 10332y_{n+2})]$

20. Each of the following expressions represents bi-quadratic integer:

- i. $\frac{1}{120^2} [(51120x_{4n+4} - 5040x_{4n+5}) + 4(426x_{n+1} - 42x_{n+2})^2 - 28800]$
- ii. $\frac{1}{1200^2} [(5061600x_{4n+4} - 50400x_{4n+6}) + 4(4218x_{n+1} - 42x_{n+3})^2 - 2880000]$
- iii. $\frac{1}{30^2} [(1620x_{4n+4} - 2520y_{4n+4}) + 4(54x_{n+1} - 84y_{n+1})^2 - 1800]$
- iv. $\frac{1}{150^2} [(78300x_{4n+4} - 2600y_{4n+5}) + 4(544x_{n+1} - 84y_{n+2})^2 - 45000]$
- v. $\frac{1}{1470^2} [(7594020x_{4n+4} - 123480y_{4n+6}) + 4(5166x_{n+1} - 84y_{n+3})^2 - 4321800]$
- vi. $\frac{1}{120^2} [(506160x_{4n+5} - 51120x_{4n+6}) + 4(4218x_{n+2} - 426x_{n+3})^2 - 28800]$
- vii. $\frac{1}{150^2} [(8100x_{4n+5} - 127800y_{4n+4}) + 4(54x_{n+2} - 852y_{n+1})^2 - 45000]$
- viii. $\frac{1}{30^2} [(15660x_{4n+5} - 25560y_{4n+5}) + 4(522x_{n+2} - 852y_{n+2})^2 - 1800]$
- ix. $\frac{1}{150^2} [(774900x_{4n+5} - 127800y_{4n+6}) + 4(5166x_{n+2} - 852y_{n+3})^2 - 45000]$
- x. $\frac{1}{1470^2} [(79380x_{4n+6} - 115300920y_{4n+4}) + 4(54x_{n+3} - 8436y_{n+1})^2 - 4321800]$

$$\text{xi. } \frac{1}{150^2} \left[(78300x_{4n+6} - 1265400y_{4n+5}) + 4(522x_{n+3} - 8436y_{n+2})^2 - 45000 \right]$$

$$\text{xii. } \frac{1}{30^2} \left[(154980x_{4n+6} - 253080y_{4n+6}) + 4(5166x_{n+3} - 8436y_{n+3})^2 - 1800 \right]$$

$$\text{xiii. } \frac{1}{180^2} \left[(19440y_{4n+5} - 187920y_{4n+4}) + 4(108y_{n+2} - 1044y_{n+1})^2 - 64800 \right]$$

$$\text{xiv. } \frac{1}{1800^2} \left[(194400y_{4n+6} - 18597600y_{4n+4}) + 4(108y_{n+3} - 10332y_{n+1})^2 - 6480000 \right]$$

$$\text{xv. } \frac{1}{180^2} \left[(187920y_{4n+6} - 1859760y_{4n+5}) + 4(1044y_{n+3} - 10332y_{n+2})^2 - 64800 \right]$$

21. Each of the following expressions represents Nasty number:

$$\text{i. } \frac{1}{20} [240 + 426x_{2n+2} - 42x_{2n+3}]$$

$$\text{ii. } \frac{1}{200} [2400 + 4218x_{2n+2} - 42x_{2n+4}]$$

$$\text{iii. } \frac{1}{5} [60 + 54x_{2n+2} - 84y_{2n+2}]$$

$$\text{iv. } \frac{1}{25} [300 + 522x_{2n+2} - 84y_{2n+3}]$$

$$\text{v. } \frac{1}{245} [2940 + 5166x_{2n+2} - 84y_{2n+4}]$$

$$\text{vi. } \frac{1}{20} [240 + 4218x_{2n+3} - 426x_{2n+4}]$$

$$\text{vii. } \frac{1}{25} [300 + 54x_{2n+3} - 852y_{2n+2}]$$

$$\text{viii. } \frac{1}{5} [60 + 522x_{2n+3} - 852y_{2n+3}]$$

$$\text{ix. } \frac{1}{25} [300 + 5166x_{2n+3} - 852y_{2n+4}]$$

$$\text{x. } \frac{1}{245} [2940 + 54x_{2n+4} - 8436y_{2n+2}]$$

xi. $\frac{1}{25} [300 + 522x_{2n+4} - 8436y_{2n+3}]$

xii. $\frac{1}{5} [60 + 5166x_{2n+4} - 8436y_{2n+4}]$

xiii. $\frac{1}{30} [360 + 108y_{2n+3} - 1044y_{2n+2}]$

xiv. $\frac{1}{300} [3600 + 108y_{2n+4} - 10332y_{2n+2}]$

xv. $\frac{1}{30} [360 + 1044y_{2n+4} - 10332y_{2n+3}]$

22. Each of the following expressions represents Quintic integer

- i. $\frac{1}{20} (71x_{5n+5} - 7x_{5n+6}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{20} (71x_{n+1} - 7x_{n+2})$
- ii. $\frac{1}{600} (2109x_{5n+5} - 21x_{5n+7}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{600} (2109x_{n+1} - 21x_{n+3})$
- iii. $\frac{1}{15} (27x_{5n+5} - 42x_{5n+7}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{15} (27x_{n+1} - 42x_{n+3})$
- iv. $\frac{1}{75} (261x_{5n+5} - 42y_{5n+6}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{75} (261x_{n+1} - 42y_{n+2})$
- v. $\frac{1}{735} (2583x_{5n+5} - 42y_{5n+7}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{735} (2583x_{n+1} - 42y_{n+3})$
- vi. $\frac{1}{60} (2109x_{5n+6} - 213x_{5n+7}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{60} (2109x_{n+2} - 213x_{n+3})$
- vii. $\frac{1}{75} (27x_{5n+6} - 426y_{5n+5}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{75} (27x_{n+2} - 426y_{n+1})$
- viii. $\frac{1}{15} (261x_{5n+6} - 426y_{5n+6}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{15} (261x_{n+2} - 852y_{n+2})$
- ix. $\frac{1}{75} (2583x_{5n+6} - 426y_{5n+7}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{75} (2583x_{n+2} - 426y_{n+3})$
- x. $\frac{1}{735} (27x_{5n+7} - 4218y_{5n+5}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{735} (27x_{n+3} - 4218y_{n+1})$

- xi. $\frac{1}{75}(261x_{5n+7} - 4218y_{5n+6}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{75}(261x_{n+3} - 4218y_{n+2})$
- xii. $\frac{1}{15}(2583x_{5n+7} - 4218y_{5n+7}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{15}(2583x_{n+3} - 4218y_{n+3})$
- xiii. $\frac{1}{45}(27y_{5n+6} - 261y_{5n+5}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{45}(27y_{n+2} - 261y_{n+1})$
- xiv. $\frac{1}{450}(27y_{5n+7} - 2583y_{5n+5}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{450}(27y_{n+3} - 2583y_{n+1})$
- xv. $\frac{1}{45}(261y_{5n+7} - 2583y_{5n+6}) + 30P_{f_n-1}^3$ where $f_n = \frac{1}{45}(261y_{n+3} - 2583y_{n+2})$

4. REMARKABLE OBSERVATIONS

I. Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbola which are presented in table 2 below

Table 2: Hyperbola

Sl.no	Hyperbola	(X_n, Y_n)
1	$24X_n^2 - Y_n^2 = 1382400$	$[(426x_{n+1} - 42x_{n+2}), (216x_{n+2} - 2088x_{n+1})]$
2	$24X_n^2 - Y_n^2 = 138240000$	$[(4218x_{n+1} - 42x_{n+3}), (216x_{n+3} - 20664x_{n+1})]$
3	$24X_n^2 - Y_n^2 = 86400$	$[(54x_{n+1} - 84y_{n+1}), (432y_{n+1} - 252x_{n+1})]$
4	$24X_n^2 - Y_n^2 = 2160000$	$[(522x_{n+1} - 84y_{n+2}), (432y_{n+2} - 2556x_{n+1})]$
5	$24X_n^2 - Y_n^2 = 207446400$	$[(5166x_{n+1} - 84y_{n+3}), (432y_{n+3} - 25308x_{n+1})]$
6	$24X_n^2 - Y_n^2 = 1382400$	$[(4218x_{n+2} - 426x_{n+3}), (2088x_{n+3} - 20664x_{n+2})]$
7	$24X_n^2 - Y_n^2 = 2160000$	$[(54x_{n+2} - 852y_{n+1}), (4176y_{n+1} - 252x_{n+2})]$
8	$24X_n^2 - Y_n^2 = 86400$	$[(522x_{n+2} - 852y_{n+2}), (4176y_{n+2} - 2556x_{n+2})]$
9	$24X_n^2 - Y_n^2 = 2160000$	$[(5166x_{n+2} - 852y_{n+3}), (4176y_{n+3} - 25308x_{n+2})]$
10	$24X_n^2 - Y_n^2 = 207446400$	$[(54x_{n+3} - 8436y_{n+1}), (41328y_{n+1} - 252x_{n+3})]$
11	$24X_n^2 - Y_n^2 = 2160000$	$[(522x_{n+3} - 8436y_{n+2}), (41328y_{n+2} - 2556x_{n+3})]$
12	$24X_n^2 - Y_n^2 = 86400$	$[(5166x_{n+3} - 8436y_{n+3}), (41328y_{n+3} - 25308x_{n+3})]$
13	$24X_n^2 - Y_n^2 = 3110400$	$[(108y_{n+2} - 1044y_{n+1}), (5112y_{n+1} - 504y_{n+2})]$
14	$24X_n^2 - Y_n^2 = 311040000$	$[(108y_{n+3} - 10332y_{n+1}), (50616y_{n+1} - 504y_{n+3})]$
15	$24X_n^2 - Y_n^2 = 3110400$	$[(1044y_{n+3} - 10332y_{n+2}), (50616y_{n+2} - 5112y_{n+3})]$

II. Employing linear combination among the solutions for other choices of parabola which are presented in table 3 below

Table 3: Parabola

Sl.no	Parabola	(X_n, Y_n)
1	$2880X_n - Y_n^2 = 1382400$	$[(240 + 426x_{2n+2} - 42x_{2n+3}), (216x_{n+2} - 2088x_{n+1})]$
2	$28800X_n - Y_n^2 = 138240000$	$[(2400 + 4218x_{2n+2} - 42x_{2n+4}), (216x_{n+3} - 20664x_{n+1})]$
3	$720X_n - Y_n^2 = 86400$	$[(60 + 54x_{2n+2} - 84y_{2n+2}), (432y_{n+1} - 252x_{n+1})]$
4	$3600X_n - Y_n^2 = 2160000$	$[(300 + 522x_{2n+2} - 84y_{2n+3}), (432y_{n+2} - 2556x_{n+1})]$
5	$35280X_n - Y_n^2 = 207446400$	$[(2940 + 5166x_{2n+2} - 84y_{2n+4}), (432y_{n+3} - 25308x_{n+1})]$
6	$2880X_n - Y_n^2 = 1382400$	$[(240 + 4218x_{2n+3} - 426x_{2n+4}), (2088x_{n+3} - 20664x_{n+2})]$
7	$3600X_n - Y_n^2 = 2160000$	$[(300 + 54x_{2n+3} - 852y_{2n+2}), (4176y_{n+1} - 252x_{n+2})]$
8	$720X_n - Y_n^2 = 86400$	$[(60 + 522x_{2n+3} - 852y_{2n+3}), (4172y_{n+2} - 2556x_{n+2})]$
9	$3600X_n - Y_n^2 = 2160000$	$[(300 + 5166x_{2n+3} - 852y_{2n+4}), (4176y_{n+3} - 25308x_{n+2})]$
10	$35280X_n - Y_n^2 = 207446400$	$[(2940 + 54x_{2n+4} - 8436y_{2n+2}), (41328y_{n+1} - 252x_{n+3})]$
11	$3600X_n - Y_n^2 = 2160000$	$[(300 + 522x_{2n+4} - 8436y_{2n+3}), (41328y_{n+2} - 2556x_{n+3})]$
12	$720X_n - Y_n^2 = 86400$	$[(60 + 5166x_{2n+4} - 8436y_{2n+4}), (41328y_{n+3} - 25308x_{n+3})]$
13	$4320X_n - Y_n^2 = 3110400$	$[(360 + 108y_{2n+3} - 1044y_{2n+2}), (5112y_{n+1} - 504y_{n+2})]$
14	$43200X_n - Y_n^2 = 311040000$	$[(3600 + 108y_{2n+4} - 10332y_{2n+2}), (50616y_{n+1} - 504y_{n+3})]$
15	$4320X_n - Y_n^2 = 3110400$	$[(360 + 1044y_{2n+4} - 10332y_{2n+3}), (50616y_{n+2} - 5112y_{n+3})]$

5. PROPERTIES

III. Let $\{m_{s+1}\}$ and $\{n_{s+1}\}$ be sequence of positive integers defined by

(i). $n_{s+1} = \frac{y_{s+1} - 1}{2}, m_{s+1} = \frac{x_{s+1}}{2}$

It is seen that

$128t_{3,s+1} + 96$ is a Nasty number.

(ii). Define $n_{s+1} = \frac{y_{s+1} + 1}{2}, m_{s+1} = \frac{x_{s+1}}{2}$

It is noted that

$$t_{25,m_{s+1}} + 11m_{s+1} - 8(8t_{3,n_{s+1}} + 1) + 64n_{s+1} = 40$$

(iii). Consider $n_{s+1} = \frac{y_{s+1} - 1}{2}, m_{s+1} = \frac{x_{s+1}}{4}$

It is noted that

$$t_{98,m_{s+1}} - 64t_{3,n_{s+1}} + 47m_{s+1} = 48$$

(iv). Assume $n_{s+1} = \frac{y_{s+1} - 3}{2}, m_{s+1} = \frac{x_{s+1}}{2}$

It is observed that

$$t_{25,m_{s+1}} - 64t_{3,n_{s+1}} + 11m_{s+1} - 64n_{s+1} = 112$$

6. CONCLUSION

In this paper, we have presented infinitely many integer solutions for the Diophantine equation, represented by hyperbola is given by $3x^2 - 8y^2 = 40$. As the binary quadratic Diophantine equations are rich in variety, one may search for the other choices of equations and determine their integer solutions along with suitable properties.

REFERENCE

1. R.D.Carmichael ,(1950), *The Theory of Numbers and Diophantine Analysis*, Dover Publications, New York.
2. L.E.Dickson ,(1952), *History of theory of Numbers, Vol.II*, Chelsea Publishing co., New York .
3. L.J.Mordell, (1969), *Diophantine Equations*, Academic Press, London.
4. M.A.Gopalan and R.Anbuselvi, (2008), *Integral solutions of $4ay^2 - (a-1)x^2 = 3a+1$* Acta Ciencia Indica, Vol.XXXIV M, No.1, 291-295.
5. Gopalan et al., (2012), *Integral points on the hyperbola $(a+2)x^2 - ay^2 = 4a(k-1) + 2k^2$, $a, k > 0$* , Indian Journal of Science, 1(2), 125-126.
6. M.A.Gopalan, S.Devibala, R.Vidhyalakshmi, (2012), *Integral Points On the Hyperbola $2X^2 - 3Y^2 = 5$* , American Journal of Applied Mathematics and Mathematical Sciences, Volume 1, NO.1, 1-4.
7. S.Vidhyalakshmi, et al., (2013), *Observations on the hyperbola $ax^2 - (a+1)y^2 = 3a-1$* , Discovery, 4(10), 22-24.
8. MA.Gopalan, Sangeetha G, Manju Somanath, (2012), *Integral Points on the h Integral Points on the hyperbola $(a+2)x^2 + ay^2 = 4a(k-1) + 2k^2$, $a, k > 0$* , Indian Journal of Science Volume 1, Issue 2, Page No.125-126.
9. M.A.Gopalan, S.Vidhyalakshmi, A.kavitha, (2014), *On the integer solutions of binary quadratic equation, $x^2 = 4(k^2 + 1)y^2 + 4t$, $k, t \geq 0$* , BOMSR, vol.2.Issue.1, Page No.42-46.
10. K.Meena, S.Vidhyalakshmi, R.Sobana Devi, (2017), *On the binary quadratic equation $y^2 = 7x^2 + 32$* , International Journal of Advanced Science and Research, Volume 2, Issue 1, Page No.18-22.
11. K.Meena, MA.Gopalan, S.Hemalatha, (2017), *On the hyperbola $y^2 = 8x^2 + 16$* , National Journal of Multidisciplinary Research and Development, Volume 2, Issue 1, Page No.01-05.
12. MA.Gopalan, KK.Viswanathan, G Ramya, (2017), *On the Positive Pell equation $y^2 = 12x^2 + 13$* , International Journal of Advanced Education and Research, Volume 2, Issue 1, Page No.04-08.
13. K.Meena, MA.Gopalan, V Sivaranjani, (2017), *On the Positive Pell equation $y^2 = 102x^2 + 33$* , International Journal of Advanced Education and Research, Volume 2, Issue 1, Page No.91-96.