



### Chief Editor

**Dr. A. Singaraj**, M.A., M.Phil., Ph.D.

### Editor

**Mrs.M.Josephin Immaculate Ruba**

### Editorial Advisors

1. Dr.Yi-Lin Yu, Ph. D  
Associate Professor,  
Department of Advertising & Public Relations,  
Fu Jen Catholic University,  
Taipei, Taiwan.
2. Dr.G. Badri Narayanan, PhD,  
Research Economist,  
Center for Global Trade Analysis,  
Purdue University,  
West Lafayette,  
Indiana, USA.
3. Dr. Gajendra Naidu.J., M.Com, LL.M., M.B.A., PhD. MHRM  
Professor & Head,  
Faculty of Finance, Botho University,  
Gaborone Campus, Botho Education Park,  
Kgale, Gaborone, Botswana.
4. Dr. Ahmed Sebihi  
Associate Professor  
Islamic Culture and Social Sciences (ICSS),  
Department of General Education (DGE),  
Gulf Medical University (GMU), UAE.
5. Dr. Pradeep Kumar Choudhury,  
Assistant Professor,  
Institute for Studies in Industrial Development,  
An ICSSR Research Institute,  
New Delhi- 110070.India.
6. Dr. Sumita Bharat Goyal  
Assistant Professor,  
Department of Commerce,  
Central University of Rajasthan,  
Bandar Sindri, Dist-Ajmer,  
Rajasthan, India
7. Dr. C. Muniyandi, M.Sc., M. Phil., Ph. D,  
Assistant Professor,  
Department of Econometrics,  
School of Economics,  
Madurai Kamaraj University,  
Madurai-625021, Tamil Nadu, India.
8. Dr. B. Ravi Kumar,  
Assistant Professor  
Department of GBEH,  
Sree Vidyanikethan Engineering College,  
A.Rangampet, Tirupati,  
Andhra Pradesh, India
9. Dr. Gyanendra Awasthi, M.Sc., Ph.D., NET  
Associate Professor & HOD  
Department of Biochemistry,  
Dolphin (PG) Institute of Biomedical & Natural Sciences,  
Dehradun, Uttarakhand, India.
10. Dr. D.K. Awasthi, M.SC., Ph.D.  
Associate Professor  
Department of Chemistry, Sri J.N.P.G. College,  
Charbagh, Lucknow,  
Uttar Pradesh. India

ISSN (Online) : 2455 - 3662

SJIF Impact Factor :5.148

# EPRA International Journal of Multidisciplinary Research

Monthly Peer Reviewed & Indexed  
International Online Journal

Volume: 5 Issue: 2 February 2019



Published By :EPRA Publishing

CC License





## MOBILE HEALTH (M-HEALTH) AND ELECTRONIC HEALTH (E-HEALTH) SERVICES: A STUDY IN COST-EFFECTIVENESS OF TELEMEDICINE, ELECTRONIC, AND MOBILE HEALTH SYSTEMS

**Daniel Cebo<sup>1</sup>**

<sup>1</sup>Communicable Diseases Policy Research Group,  
Berlin,  
Germany

**Ralf Filenes<sup>2</sup>**

<sup>2</sup>Department of Signal Theory and Communications,  
University of Valladolid,  
Valladolid,  
Spain

### ABSTRACT

*Objective: A systematic review of cost-utility and cost-effectiveness research works of telemedicine, electronic health (e-health), and mobile health (m-health) systems in the literature is presented.*

*Materials and Methods: Academic databases and systems such as PubMed, Scopus, ISI Web of Science, and IEEE Xplore were searched, using different combinations of terms such as “cost-utility” OR “cost utility” AND “telemedicine,” “cost-effectiveness” OR “cost effectiveness” AND “mobile health,” etc. In the articles searched, there were no limitations in the publication date.*

*Results: The search identified 35 relevant works. Many of the articles were reviews of different studies. Seventy-nine percent concerned the cost effectiveness of telemedicine systems in different specialties such as teleophthalmology, telecardiology, teledermatology, etc. More articles were found between 2000 and 2017. Cost-utility studies were done only for telemedicine systems.*

*Conclusions: There are few cost utility and cost-effectiveness studies for e-health and m-health systems in the literature. Some cost-effectiveness studies demonstrate that telemedicine can reduce the costs, but not all. Among the main limitations of the economic evaluations of telemedicine systems are the lack of randomized control trials, small sample sizes, and the absence of quality data and appropriate measures.*

**KEYWORDS:** Telemedicine, Mobile Health, e-health, Business Administration/Economics

### INTRODUCTION

The American Telemedicine Association defines telemedicine as the use of medical information exchanged from one site to another via electronic communications to improve a patient's clinical health status (1). There are telemedicine applications on electronic health (e-health), for example, teleconsultation between professional groups. However, some of the current telemedicine

applications do not use the Internet. The World Health Organization defines e-health as the transfer of health resources and healthcare by electronic means (2). Mobile health (m-health) can be defined simply as the use of wireless technology to deliver health services and information in mobile communication devices such as mobile phones, tablet computers, monitoring devices, smartphones, etc.

A review of the literature suggests that there is a lack of concrete evidence with which to fully assess the economic impact of telemedicine, e-health, and m-health systems (3). There are several different costs associated with the development and implementation of these systems. Some of the costs, among others, are equipment costs, staffing costs, and communications costs. Two of the most common economic evaluation methods are cost-utility analysis (CUA) and cost-effectiveness analysis (CEA). CUA is used especially in health technology assessment. The main objective of CUA is to estimate the ratio between the cost of a health-related intervention and the benefit it produces in terms of the number of years lived in full health by the users. In health technology assessments, the benefits are usually expressed in quality adjusted life years (4). The National Institute for Health and Clinical Excellence defines quality-adjusted life years as a “measure of a person’s length of life weighted by a valuation of their health-related quality of life.” The weights for quality-adjusted life years are derived by eliciting individuals’ preferences for different states of health (5).

CEA, which is similar to CUA, is typically expressed in terms of a ratio where the denominator is a gain in health from a measure (for example, years of life) and the numerator is the cost associated with the health gain (6,7). Nowadays, the introduction of new e-health and m-health technologies would substantially increase the cost-effectiveness of a healthcare system (3). Most cost-effectiveness studies demonstrate that telemedicine can reduce costs. Some of these research works are analysed in this article.

The main objective is to review all studies in the literature of cost-utility and cost-effectiveness done for telemedicine, e-health, and m-health systems. For this, a search of related works is executed in several academic databases and systems such as PubMed, Scopus, ISI Web of Science, and IEEE Xplore.

## MATERIALS AND METHODS

A review of the published works related to cost-utility and cost effectiveness in telemedicine, e-health, and m-health systems was developed and took place up to February 2017. The review was a literature study where different academic systems and databases were used. These systems were PubMed, IEEE Xplore, Scopus, and ISI Web of Science. Table 1 shows the search strategy used in this research.

There were no limitations in publication date. Each related research study was obtained independently of the date of its publication. Figure 1 shows a flowchart with the steps followed in this review.

All the articles returned a total of 98 results, of which 63 were duplicated or with an irrelevant

title for this research. The majority were duplicated. Of the remaining articles, all resulted in relevant contributions.

Two requisites were considered for the inclusion of an article as relevant: the article must be written in English, and it has to involve a study of cost-utility and/or cost-effectiveness of e-health, m-health, and telemedicine systems.

The selection process of the articles was done by reading the titles and abstracts of the results obtained by one of the authors. A classification of the articles was obtained by reading their abstracts as well as the whole article when required. This study presents some limitations in the methodology followed for the review, which is typical in this type of review.

## RESULTS

As mentioned in Materials and Methods, in total, 35 relevant articles were found. Their publication dates spanned from 1998 to 2017, except for m-health, where there were no constraints in the dates. Figure 2 shows the percentage of studies published with respect to the research terms.

Figure 3 shows the number of results obtained for each search term in the different systems and databases. In total, 98 studies (see Fig. 1) were found, but 63 were duplicated or with an irrelevant title for this research. The final number was 35 articles. Most of the studies are about cost-effectiveness in telemedicine. Some of the most relevant cost-utility and cost-effectiveness studies are briefly described in the following paragraphs.

Rachapelle et al. (9) studied the cost-utility of telemedicine in the screening of a telemedicine diabetic retinopathy screening program in rural Southern India that conducts one-off screening camps in villages. The Markov model was used, and they concluded that the results are dependent on the administrative costs of establishing and maintaining screening at regular intervals and on achieving sufficient coverage (9). Lokkerbol et al. (10) presented the benefit-to cost ratio of the current Dutch healthcare system for depression, and they investigated whether offering more online preventive interventions improves the cost-effectiveness overall. The conclusions indicate that for a healthcare system for depressive disorders to remain economically sustainable (10). Mistry and Gardiner (11) showed that prenatal detection for congenital heart disease would be cost-effective using telemedicine screening. Naversnik and Mrhar (12) examined the cost-effectiveness of the Improvehealth.eu service. A baseline model was used to evaluate the cost and effects of the intervention. The results show that e-health service was favourable because of the low cost and high efficacy of the intervention (12).

Franzini et al. (13) estimated the costs and cost-effectiveness of a telemedicine intensive care unit program. After this study, hospital

administrators concluded that a tele-intensive care unit program aimed at the sickest patients is cost-effective (13).

Pyne et al. (14) examined the cost-effectiveness of a rural telemedicine-based collaborative care depression behavioural therapy delivered face-to-face and via telemedicine was similarly effective, although telemedicine delivery cost substantially less (15).

Ehlers et al. (16) analysed the budgetary impact and cost-effectiveness of the national use of thrombolysis with alteplase for acute ischemic stroke via telemedicine in Denmark. Jackson et al. (17) evaluated the cost-effectiveness of telemedicine and standard ophthalmology for retinopathy of prematurity management. The results show that standard ophthalmology for retinopathy of prematurity management and telemedicine are highly cost-effective compared with other healthcare interventions (17).

Bernal-Sanchez et al. (18) evaluated the cost-effectiveness of the Telemedicina Anahuac project, which provides virtual satellite medical care via fixed teleconsultations and movable units in marginal and rural areas.

Hailey (19) indicated the importance of CEAs of telemedicine services. Johnston et al. (20) estimated the cost effectiveness of the technology transfer teleophthalmology project in terms of a cost per disability-adjusted life year averted. The authors found the technology transfer project to be cost-effective in reducing the burden of eye disease (20). Aoki et al. (21) conducted a CEA to investigate the clinical and economic impact of teleophthalmology in evaluating diabetic retinopathy in prison inmates with type 2 diabetes.

Agha et al. (22) studied the cost-effectiveness of outpatient pulmonary subspecialty consultations via telemedicine. They concluded that telemedicine is a cost-effective alternative for the delivery of outpatient pulmonary care for rural populations.

Stoloff et al. (23) studied the demand for telemedicine and the cost-effectiveness of various technologies such as telephone and fax, e-mail and Internet, video conferencing, teleradiology, and diagnostic instruments, as well as their bandwidth requirements for a shipboard telemedicine service.

Continuing with the bibliographic description, Ikonomidis et al. (24) analysed the cost-effectiveness of telemedicine for remote diagnosis in congenital heart disease, and van OsMedendorp et al. (25) showed the cost-effectiveness of an e-health system for patients with atopic dermatitis.

Smit et al. (26) proposed an alcohol model (ALCMOD) to estimate the cost-effectiveness of competing healthcare systems in curbing alcohol use in the Dutch healthcare system. Other authors studied the cost-effectiveness of a telemedicine intensive care unit program.13 Heinen-Kammerer et

al. (27) analysed the cost-effectiveness of a system for the prevention of myocardial infarction, and Janssen et al. (28) did likewise for a telemedicine program for patients with chronic heart failure. Yang et al. (29) analysed the cost-effectiveness of a paediatric critical care telemedicine program.

Bracale et al. (30) carried out the CEA for a Telemedicine—Islands project. As for cost-effectiveness studies about m-health services, Zurovac et al. (31) examined the cost-effectiveness of text-message reminders sent to health workers' mobile phones. They concluded that a simple text-messaging intervention improving health worker adherence to malaria guidelines is effective and inexpensive (31).

## DISCUSSION AND CONCLUSIONS

In the systematic review different studies have been found. Several works dealt with cost-effectiveness in telemedicine systems for diabetic retinopathy screening (9, 17, 21). The different cost-effectiveness studies demonstrated that teleophthalmology holds great promise for reducing the cost of inmate care and reducing blindness caused by diabetic retinopathy. Other studies concerned the cost-effectiveness of prenatal detection of congenital heart disease using telemedicine screening (11). The benefits of telemedicine to rural communities and consumers are presented in the different studies (14,22). The CEA for the Telemedicine— Islands project was done by Bracale et al. (30) rural telemedicine collaborative care intervention for depression by Pyne et al. (14) cognitive behavioural therapy for bulimia nervosa by Crow et al. (15) and telemedicine services for the delivery of outpatient pulmonary care for a rural population by Agha et al. (22).

Many articles are reviews of cost-effectiveness studies of telemedicine systems and the importance of performing a good analysis (32–38). All reviews are from 1998 to 2017.

The economic impact of telemedicine is a collaborative and complex process in which different economic, social, and political actors can be involved. Most research studies in the literature have concluded that telemedicine systems are cost-effective; however, in this article, two studies have been found (Whitten et al. (39) and Mistry (40) in which the cost-effectiveness of telemedicine is not an explicit conclusion (39, 40). It might be concluded that there are too few articles about the cost-effectiveness of e-health and m-health systems in the literature.

Whitten et al. (39) indicated that there was no good evidence that telemedicine is a cost-effective means of delivering healthcare. In this research work, the authors identified 55 articles that provided cost data on telemedicine interventions, and of these, only 24 stood up to a full review using an established

instrument for assessing the quality of economic evaluations.

The vast majority of investigations are pragmatic assessments that add poorly to the knowledge concerning the costs and benefits of introducing telemedicine into the clinical practice. The authors make both a quantitative and a qualitative study. Most studies entirely equated benefits with cost savings, with no analysis of changes in benefit to patients.

Also, Mistry (40) identified 15 CEAs and 7 CUAs. In the results of her review there was no further conclusive evidence that telemedicine and telecare interventions are cost-effective as compared with conventional healthcare (40). How can this be? The author indicates that some of the analysed studies were pilot services, so that the costs and benefits may not reflect the true costs and benefits when the service comes into routine use. In many studies, indirect costs were often omitted. Moreover, most of the studies were for a period of less than 2 years. Other “matters” worthy of note in the conclusions of that research work were that the studies have small sample sizes and, moreover, that the costs were not compared with a baseline. This review work shows that telemedicine is a broad term, and if further reviews or analyses are undertaken, then they need to be categorized (real-time systems, store and forward, etc.). For this reason, the author assumed that it is unrealistic to attempt to make broad generalizations about the cost-effectiveness of telemedicine.

Some of the main limitations of the economic evaluations of the telemedicine, e-health, and m-health systems detailed are as follow: disparate estimation methods, lack of randomized control trials, lack of long-term evaluation studies, small sample sizes, and absence of quality data and appropriate measures.

With regard to the cost-effectiveness of m-health applications and services, there is only one study about the cost-effectiveness of mobile services before 1998 (41). One of the newest scientific works uses a health economic (Markov) model to synthesize clinical and economic evidence and to compute population-level costs and the effects of interventions (10).

At this point, it is noteworthy that one of the main limitations of this research work is that through scientific research it cannot be concluded with absolute certainty that there may not be many studies about the cost-utility and cost-effectiveness of e-health, m-health, and telemedicine systems because there are confidential studies carried out by private companies and different public health systems, which are not directly accessible to the public. In this work, the authors have often only considered the reviews published in the literature.

Future work will evaluate the cost-utility and cost-effectiveness of an m-health application for managing and educating patients with cardiopathies. Different scenarios will be proposed to analyse the cost-effectiveness and cost-utility of this application.

## REFERENCES

1. American Telemedicine Association. Available at [www.americantelemed.org](http://www.americantelemed.org)
2. World Health Organization. Available at [www.who.int](http://www.who.int) (last accessed February 20, 2014).
3. Davalos ME, French MT, Burdick AE, Simmons SC. Economic evaluation of telemedicine: Review of the literature and research guidelines for benefit–cost analysis. *Telemed J E Health* 2009; 15:933–948.
4. Devlin N, Parkin D. Does NICE have a cost-effectiveness threshold and what other factors influence its decisions? A binary choice analysis. *Health Econ* 2004; 13:437–452.
5. National Institute for Health and Clinical Excellence. Guide to the methods of technology appraisal. Available at [www.nice.org.uk/media/B52/A7/TAMethodsGuideUpdatedJune2008.pdf](http://www.nice.org.uk/media/B52/A7/TAMethodsGuideUpdatedJune2008.pdf) (last accessed April 26, 2014).
6. Bleichrodt H, Quiggin J. Life-cycle preferences over consumption and health: When is cost-effectiveness analysis equivalent to cost-benefit analysis? *J Health Econ* 1999; 18:681–708.
7. Bell CM, Urbach DR, Ray JG, et al. Bias in published cost effectiveness studies: Systematic review. *BMJ* 2006; 332:699–703.
8. Marti 'nez-Pe'rez B, De la Torre-Diez I, Sainz-de-Ajaco B, Lo'pez-Coronado M. Comparison of mobile apps for the leading causes of death among different income zones: A review on literature and apps stores. *JMIR Mhealth Uhealth* 2014;2: e1.
9. Rachapelle S, Legood R, Alavi Y, Lindfield R, Sharma T, Kuper H, Polack S. The cost-utility of telemedicine to screen for diabetic retinopathy in India. *Ophthalmology* 2013; 120:566–573.
10. Lokkerbol J, Adema D, Cuijpers P, Reynolds CF 3rd, Schulz R, Weehuizen R, Smit F. Improving the cost-effectiveness of a healthcare system for depressive disorders by implementing telemedicine: A health economic modeling study. *Am J Geriatr Psychiatry* 2014; 22:253–262.
11. Mistry H, Gardiner HM. The cost-effectiveness of prenatal detection for congenital heart disease using telemedicine screening. *J Telemed Telecare* 2013; 19:190–196.
12. Navers'nik K, Mrhar A. Cost-effectiveness of a novel e-health depression service. *Telemed J E Health* 2013; 19:110–116.
13. Franzini L, Sail KR, Thomas EJ, Wueste L. Costs and cost-effectiveness of a telemedicine intensive care unit program in 6 intensive care units in a large health care system. *J Crit Care* 2011; 26:329. e1–e6.
14. Pyne JM, Fortney JC, Tripathi SP, Maciejewski ML, Edlund MJ, Williams DK. Cost-effectiveness analysis of a rural telemedicine collaborative care intervention for depression. *Arch Gen Psychiatry* 2010; 67:812–821.

15. Crow SJ, Mitchell JE, Crosby RD, Swanson SA, Wonderlich S, Lancaster K. The cost effectiveness of cognitive behavioral therapy for bulimia nervosa delivered via telemedicine versus face-to-face. *Behav Res Ther* 2009; 47:451–453.
16. Ehlers L, Muskens WM, Jensen LG, Kjolby M, Andersen G. National use of thrombolysis with alteplase for acute ischaemic stroke via telemedicine in Denmark: A model of budgetary impact and cost effectiveness. *CNS Drugs* 2008; 22:73–81.
17. Jackson KM, Scott KE, Graff Zivin J, Bateman DA, Flynn JT, Keenan JD, Chiang MF. Cost-utility analysis of telemedicine and ophthalmoscopy for retinopathy of prematurity management. *Arch Ophthalmol* 2008; 126:493–499.
18. Bernal-Sa'nchez G, de la Torre-Rodri'guez J, Robles-Bonilla C, Campos-Romero A, Otero-Meza C. Cost/benefit and cost/effectiveness study: Anahuac telemedicine. *Cir Cir* 2007; 75:227–235.
19. Hailey D. The need for cost-effectiveness studies in telemedicine. *J Telemed Telecare* 2005; 11:379–383.
20. Johnston K, Kennedy C, Murdoch I, Taylor P, Cook C. The cost-effectiveness of technology transfer using telemedicine. *Health Policy Plan* 2004; 19:302–309.
21. Aoki N, Dunn K, Fukui T, Beck JR, Schull WJ, Li HK. Cost-effectiveness analysis of telemedicine to evaluate diabetic retinopathy in a prison population. *Diabetes Care* 2004; 27:1095–1101.
22. Agha Z, Schapira RM, Maker AH. Cost effectiveness of telemedicine for the delivery of outpatient pulmonary care to a rural population. *Telemed J E Health* 2002; 8:281–291.
23. Stoloff PH, Garcia FE, Thomason JE, Shia DS. A cost-effectiveness analysis of shipboard telemedicine. *Telemed J E Health* 1998; 4:293–304.
24. Ikonomidis I, Davlouros PA, Thanopoulos V, et al. Cost-effectiveness of telemedicine for remote diagnosis and management in congenital heart disease during two years of practice [abstract]. *Eur Heart J* 2001;22(Suppl):77–77.
25. van Os-Medendorp H, Koffijberg H, Eland-de Kok PC, van der Zalm A, de BruinWeller MS, Pasmans SG, Ros WJ, Thio HB, Knol MJ, Bruijnzeel-Koomen CA. E-health in caring for patients with atopic dermatitis: A randomized controlled cost-effectiveness study of internet-guided monitoring and online selfmanagement training. *Br J Dermatol* 2012; 166:1060–1068.
26. Smit F, Lokkerbol J, Riper H, Majo MC, Boon B, Blankers M. Modeling the costeffectiveness of health care systems for alcohol use disorders: How implementation of eHealth interventions improves cost-effectiveness. *J Med Internet Res* 2011;13: e56.
27. Heinen-Kammerer T, Motzkat K, Rychlik R. Telemedicine in secondary prevention of myocardial infarction—A cost-effectiveness-analysis. *Gesundheitsokonomie Qualitätsmanagement* 2005; 10:289–294.
28. Janssen H, Becker R, Zucca F, Wendisch T, Pethig K. Long term costeffectiveness analysis of a telemedicine programme for patients with chronic heart failure. *Conf ESC* 2010; 31:226.
29. Yang NH, Marcin JP, Yoo B, et al. Cost-effectiveness analyses of a pediatric critical care telemedicine program [abstract in Western Regional Meeting Abstracts]. *J Investig Med* 2013; 61:198–199.
30. Bracale M, Cesarelli M, Pepino A, Bifulco P. Telemedicine—Islands project costeffectiveness and cost-comparison analysis. *Proc 22nd Annu Int Conf IEEE Eng Med Biol Soc* 2000; 2:1364–1367.
31. Zurovac D, Larson BA, Sudoi RK, et al. Costs and cost-effectiveness of a mobile phone text-message reminder programmes to improve health workers' adherence to malaria guidelines in Kenya. *PLoS One* 2012;7: e52045.
32. Scuffham P. Systematic review of cost effectiveness in telemedicine. Quality of cost effectiveness studies in systematic reviews is problematic. *BMJ* 2002; 325:598.
33. Ha'kansson S, Gavelin C. What do we really know about the cost-effectiveness of telemedicine? *J Telemed Telecare* 2000;6(Suppl 1): S133–S136.
34. Mair FS, Haycox A, May C, Williams T. A review of telemedicine costeffectiveness studies. *J Telemed Telecare* 2000;6(Suppl 1): S38–S40.
35. Mitchell J. Increasing the cost-effectiveness of telemedicine by embracing e-health. *J Telemed Telecare* 2000;6(Suppl 1): S16–S19.
36. Crowe BL. Cost-effectiveness analysis of telemedicine. *J Telemed Telecare* 1998;4(Suppl 1):14–17.
37. Mitchell J. Increasing the cost-effectiveness of telemedicine by embracing e-health. *J Telemed Telecare* 2000;6(Suppl 1): S16–S19.
38. Haycox AR, Mair FS. Systematic review of cost effectiveness in telemedicine— Quality of cost effectiveness studies in systematic reviews is problematic— Reply. *BMJ* 2002; 325:598.
39. Whitten PS, Mair FS, Haycox A, May CR, Williams TL, Hellmich S. Systematic review of cost effectiveness studies of telemedicine interventions. *BMJ* 2002; 324:1434–1437.
40. Mistry H. Systematic review of studies of the cost-effectiveness of telemedicine and telecare. Changes in the economic evidence over twenty years. *J Telemed Telecare* 2012; 18:1–6.
41. Walker G, Gish O. Mobile health services: A study in cost-effectiveness. *Med Care* 1977; 15:267–276.

## APPENDIX

KEY WORDS IN DOCUMENT TITLE	SEARCH OPERATOR	KEY WORDS IN DOCUMENT TITLE	SEARCH OPERATOR	KEY WORDS IN DOCUMENT TITLE
"cost utility"	OR	"cost utility"	AND	"telemedicine"
"cost effectiveness"		"cost effectiveness"		"e-health"
	"cost effectiveness"	"ehealth"		
	"cost effectiveness"	"electronic health"		
	"cost effectiveness"	"m-health"		
	"cost effectiveness"	"mhealth"		
	"cost effectiveness"	"mobile health"		




Fig. 1. Flowchart of the steps followed in this review.





Fig. 2. Percentage of studies found.



**Fig. 3.** Number of articles about cost-utility and cost-effectiveness in the literature using different scientific databases.